

Table Name	Column Name	Datatype	Null Option	Column Comment
Audit	Claimkey	int	NOT NULL	Unique identifier for a claim
Audit	AuditID	int	IDENTITY	Unique identifier for an audit
Audit	ActionDateTime	datetime	NOT NULL	The time and date the update took place
Audit	ActionCode	smallint	NULL	The action code used to perform the update. It identifies the data entry screen used
Audit	Comments	char(50)	NULL	Comments made about the audit
Audit	UserID	char(7)	NULL	The user identification of the person who updated the case
CaseFile	Claimkey	int	IDENTITY	System assigned key that uniquely identifies a case file.
CaseFile	HUDFileNo	char(9)	NULL	The region code must be equal to the region doing the initial entry. Fiscal year may be current or previous fiscal year only. The sequence number must be numeric and greater than "0000". The authority code must be "8" or "E" only....
CaseFile	ReceivedDate	datetime	NULL	Date allegations first received by FHAP or HUD
CaseFile	InterviewDate	datetime	NULL	Date Complainant/Claimant was initially interviewed.
CaseFile	InterviewType	varchar(14)	NULL	Field describes whether interview was conducted via correspondence, over the telephone, or in person. User selects from drop down menu.
CaseFile	InterviewInitials	char(7)	NULL	Not Applicable (Field removed)
CaseFile	AssessAnalystInitials	char(7)	NULL	Who assessed the merits of the allegations. Can be the same person as the interviewer.
CaseFile	InvestigatorInitials	char(7)	NULL	Who investigated the case on behalf of HUD.
CaseFile	CaseName	varchar(63)	NULL	Description of case in Complainant vs. Respondent format.
CaseFile	HUDMonitor	char(7)	NULL	HUD staff member assigned to monitor case.
CaseFile	ClaimantName	varchar(30)	NULL	Claimant's full name
CaseFile	conciliator	char(7)	NULL	Name of the HUD staff member selected from a drop down list of names. This is dependent on names entered by system administrator. Numbers next to the name indicate whether the person is from a hub, center, or FHAP. For example, a 00XX indicates a hub (
CaseFile	RegulatingAgency	varchar(1)	NULL	Agency regulating the mortgage lenders.. Dropdown list includes: OCC, FRB, FDIC, OTS, NCUA, FTC, and FHA
CaseFile	MortgageLenderControl	varchar(12)	NULL	This is a number assigned to a mortgage lender to identify that bank or entity for tracking purposes.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	Origin	varchar(1)	NULL	Code that determines the origin of the complaint. Drop down list contains one of the codes below: HUD - Originated at HUD FHAP - Originated at FHAP Either yes or no. Depicts whether this case was initiated by the Secretary of HUD.
CaseFile	SecretaryInitiated	bit	NULL	Drop down list of either Yes or No. Depicts whether it is a FHIP Referral
CaseFile	FHIPReferral	bit	NULL	Drop down list of yes or no. Depicts whether HUD has sent a tester to test a claimant's complaint. This is essentially another case.
CaseFile	Testing	bit	NULL	Drop down list of Yes, No - Claim Closed, or Not Yet. Depicts whether HUD has jurisdiction over this case.
CaseFile	JurisdictionEstablished	smallint	NOT NULL	Located on Investigation tab. Drop down list of reasons for closing the case. None Selected is default. These include: None Selected 1-Untimely filed 2-Dismissed for lack of jurisdiction 3-Unable to locate complainant 4-Complainant Failed to cooperate 5-
CaseFile	WhyClosedFiled	smallint	NULL	
CaseFile	DateClosedFiled	datetime	NULL	Charge Date, HUD Date Filed, FHAP Closure Date, Reentry Date, Date Reopened, Cause Date, TRO Date Referred to DOJ, or TRO Action Date. On a FHAP-processed case, may only be entered if Payment Determination and FHAP Closure Date are present...

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	WhyClosedPrior	varchar(1)	NULL	ons for closing the case. These include: No Reason Not timely filed No valid bases Failure to Respond by Claimant Unable to locate Claimant Informal Resolution prior to filing Decision by Claimant not to pursue Other Disposition...
CaseFile	DateClosedPrior	datetime	NULL	Located on Jurisdiction tab. Textbox for date of case closure. Use MM/DD/YYYY format. Required if No-Claim Closed is selected from HUD Jurisdiction Established? May not be prior to Contact Date
CaseFile	JurisdictionDeterminedBy	char(7)	NULL	Not applicable, not being used.
CaseFile	FederalFundOption	smallint	NULL	Federal Funding to Respondent or Property attribute on Jurisdiction tab. It contains three mutually exclusive option buttons: Yes, No, Don't Know. Don't Know is default.
CaseFile	WhoDE	bit	NULL	Check box, that informs the user that there is data supplied under the who discriminated button on the Intake Tab.
CaseFile	WhenDE	bit	NULL	Check box, that informs the user that there is data supplied under the when did it happen button on the Intake Tab.
CaseFile	WhereDE	bit	NULL	Check box, that informs the user that there is data supplied under the where did it happen button on the Intake Tab.
CaseFile	WhatDE	bit	NULL	Check box, that informs the user that there is data supplied under the what happened button on the Intake Tab.
CaseFile	HUD100DayLetterDate	datetime	NULL	Date on which the agency issues the 100 - day letter.
CaseFile	WhyDE	bit	NULL	Check box, that informs the user that there is data supplied under why did it happen button on the Intake Tab.
CaseFile	OtherDE	bit	NULL	Check box, that informs the user that there is data supplied under the Other Questions for Claimant button, on the Intake tab.
CaseFile	FHAPClosureDate	datetime	NULL	FHAP Closure Date is a textbox for entry of the date the case was closed by the FHAP. May be entered only if FHAP Date Received is present. May not be prior to FHAP Date Received or FHAP Date To Legal. May not be prior to HUD Date Filed or Cause Date. Use

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	NamesDE	bit	NULL	Check box, that informs the user that there is data supplied under the Names, addresses, etc. button, on the Intake tab.
CaseFile	ComplainantDE	bit	NULL	Check box, that informs the user that there is data supplied under the Complainants/Claimants button on the Intake tab.
CaseFile	PIH_DEV	bit	NULL	Not applicable
CaseFile	ReliefHousing	bit	NULL	Housing is a checkbox indicating type of relief.
CaseFile	PIH_MOD	bit	NULL	Not applicable.
CaseFile	PIH_OPER	bit	NULL	Not applicable
CaseFile	ReliefAffirmActOrAccom	bit	NULL	Affirm Act or Accom is a checkbox indicating type of relief.
CaseFile	ReliefMonetary	bit	NULL	Monetary Compensation: is a checkbox indicating type of relief.
CaseFile	PIH_OTHER	bit	NULL	Not applicable
CaseFile	ReliefEmployment	bit	NULL	Employment is a checkbox indicating type of relief.
CaseFile	Sec8Assisted	bit	NULL	Sec. 8 Assisted, Tenant Based checkbox indicating type of Federal funding. On Types of Federal Funding button.
CaseFile	F202_811	bit	NULL	HUD Assisted Housing (202, 811, 22104, Project Based, Section 8) checkbox indicating type of Federal funding.
CaseFile	ReliefStructuralMod	bit	NULL	On Types of Federal Funding button. Structural Mod is a checkbox indicating type of relief.
CaseFile	Homeless	bit	NULL	Checkbox indicating type of Federal funding on Types of Federal Funding button.
CaseFile	ReliefOther	bit	NULL	Other is a check box indicating type of relief.
CaseFile	CDBG	bit	NULL	CDBG checkbox indicating type of Federal funding.
CaseFile	HOME	bit	NULL	HOME checkbox indicating type of Federal funding.
CaseFile	HOPE	bit	NULL	On Types of Federal Funding button. HOPE checkbox indicating type of Federal funding.
CaseFile	OtherCPD	bit	NULL	Other CPD checkbox indicating type of Federal funding.
CaseFile	LeadBasedPaint	bit	NULL	Lead Based Paint checkbox indicating type of Federal funding.
CaseFile	Other_Identify	bit	NULL	Other HUD Funding (Identify) checkbox indicating type of Federal funding.
CaseFile	ConcurrentProcessing	smallint	NULL	Conduct Concurrent Processing? is a dropdown list containing Yes, No, and Don't Know to identify if multiple processing should apply to the case. Don't Know is default.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	FormSent	datetime	NULL	Date Form Sent is a textbox indicating date the notification letter was sent for signature. Use MM/DD/YYYY format.
CaseFile	HUDDateFiled	datetime	NULL	entered if jurisdiction is established and may not be entered otherwise. May not be prior to Contact Date. May not be prior to Violation Date. May not be more than one year after Violation Date unless Why Closed reason is Not Timely Filed....
CaseFile	NotificationSent	datetime	NULL	Date Notification Sent is a textbox indicating date the notification letter was actually sent out. Use MM/DD/YYYY format.
CaseFile	ProcessingResponsibility	varchar(1)	NULL	Processing Responsibility is a textbox that is automatically populated, based on user site login
CaseFile	ComplaintSigned	bit	NULL	Complaint Signed? is a checkbox indicating whether complaint was signed by complainant.
CaseFile	TitleVI	bit	NULL	TitleVI of 1964 Civil Rights Act checkbox for indicating if this authority applies to the case.
CaseFile	TitleVI_Case	varchar(16)	NULL	TitleVI of 1964 Civil Rights Act textbox for file number of other authority
CaseFile	Section504	bit	NULL	Section 504 of 1973 Rehabilitation Act checkbox for indicating if this authority applies to the case.
CaseFile	Section504_Case	varchar(16)	NULL	Section 504 of 1973 Rehabilitation Act textbox for file number of other authority.
CaseFile	Part109	bit	NULL	Section 109 of the Housing and Community Development Act Of 1974 checkbox for indicating if this authority applies to the case.
CaseFile	Part109_Case	varchar(16)	NULL	Section 109 of the Housing and Community Development Act Of 1974 textbox for file number of other authority
CaseFile	EO11063	bit	NULL	Executive Order 11063 checkbox for indicating if this authority applies to the case.
CaseFile	EO11063_Case	varchar(16)	NULL	Executive Order 11063 textbox for file number of other authority.
CaseFile	EO12892	bit	NULL	Executive Order 12892 checkbox for indicating if this authority applies to the case.
CaseFile	EO12892_Case	varchar(16)	NULL	Executive Order 12892 textbox for file number of other authority.
CaseFile	EO12898	bit	NULL	Executive Order 12898 checkbox for indicating if this authority applies to the case.
CaseFile	EO12898_Case	varchar(16)	NULL	Executive Order 12898 textbox for file number of other authority.
CaseFile	DisabilitiesAct	bit	NULL	Americans With Disabilities Act of 1992 checkbox for indicating if this authority applies to the case.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	DisabilitiesAct_Case	varchar(16)	NULL	Americans With Disabilities Act of 1992 textbox for file number of other authority.
CaseFile	AgeDiscrimination	bit	NULL	Age Discrimination Act of 1975 checkbox for indicating if this authority applies to the case.
CaseFile	AgeDiscrimination_Case	varchar(16)	NULL	Age Discrimination Act of 1975 textbox for file number of other authority.
CaseFile	Track1	bit	NULL	Type of investigation process issued for case. Full Investigation.
CaseFile	Track2	bit	NULL	Type of investigation process issued for case. Systemic, Secretary Initiated, or novel and complex investigation.
CaseFile	Track3	bit	NULL	Type of investigation process issued for case. Temporary Restraining Ordeer.
CaseFile	Track4	bit	NULL	Type of investigation process issued for case. Expedited Investigation.
CaseFile	Track5	bit	NULL	Type of investigation process issued for case. Fact-Finding.
CaseFile	Track6	bit	NULL	Type of investigation process issued for case. Conciliation
CaseFile	Region	varchar(2)	NULL	Region contains a dropdown list that allows the user to search for cases within a given region. Valid choices are All Regions, Headquarters, or one of the ten hubs. The default is All Regions for the system administrator at Headquarters; otherwise, default
CaseFile	Office	varchar(2)	NULL	Not applicable.
CaseFile	SiteID	char(4)	NULL	Site contains a dropdown list that allows the user to search for cases by a site location within a given region. The default is All Sites for the system administrator at Headquarters; otherwise, default to sites within the user's region.
CaseFile	FHAPCaseNo	varchar(15)	NULL	nd textbox that allows the user to search for a case by the FHAP case number. Operands are Begins with, Contains, or Equal to. Begins with is the default. The user must type a full or partial FHAP Case Number without hyphens in the textbox....
CaseFile	TitleIX	bit	NULL	Title IX of the Education Amendments Act of 1972 checkbox for indicating if this authority applies to the case.
CaseFile	USDA	bit	NULL	USDA checkbox indicating type of Federal funding.
CaseFile	TitleIX_Case	varchar(16)	NULL	Title IX of the Education Amendments Act of 1972 textbox for file number of other authority.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	HotCase	bit	NULL	Hot Case: contains a dropdown list to indicate whether the case is high priority. Items include Yes and No. Defaults to No.
CaseFile	HotCaseNarrative	text	NULL	Hot Case textbox for description of case that defines why the case is a high priority.
CaseFile	ReentryReason	text	NULL	Textbox for entering narrative explaining why case was reopened.
CaseFile	Reentrydate	datetime	NULL	Reentry Date is a text box for entry of date case reentered the system. Use MM/DD/YYYY format. May be entered only if Jurisdiction is established. May not be prior to FHAP Date Received. Must be blank if no FHAP Referral Data is present. May not be prior
CaseFile	ContractCaseRecallDate	datetime	NULL	not applicable.
CaseFile	DateReopened	datetime	NULL	Date Reopened is a textbox for entry of date the case was reopened. Use MM/DD/YYYY format. Applies to complaints only. May be entered only if jurisdiction is established. May not be prior to HUD Date Filed or Reentry Date.
CaseFile	CauseDate	datetime	NULL	Cause Date May not be prior to HUD Date Filed or Reentry Date. Use MM/DD/YYYY format.
CaseFile	MixedFinding	bit	NULL	Mixed Finding? is a checkbox indicating mixed finding.
CaseFile	FHAPPaymentCode	char(1)	NULL	Payment Determination contains a dropdown list of payment types. None Selected Accepted for Payment Rejected; Additional Documentation Required Rejected; Additional Processing Requested Rejected; Reactivated Rejected; Disposition None of the Above
CaseFile	Relief	char(6)	NULL	HUD Relief: Checkboxes for HUD Relief terms applicable to the case. Available checkboxes are Housing, Employment, Affirm. Action/Reasonable Accom., Structural Modifications, Monetary, and Other Relief.
CaseFile	Compensation	int	NULL	Compensation. Compensation dollar amount if applicable
CaseFile	ReferredToOtherAuthority	bit	NULL	Referred to Other Authority is a checkbox indicating if case has been referred to agencies other than HUD.
CaseFile	TRODateFlagged	datetime	NULL	Date Flagged for TRO textbox for date case was flagged for temporary restraining order.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	TRODateReferredToDOJ	datetime	NULL	box for entry of date case was referred to the Department of Justice. TRO Date Referred To DOJ may be entered only if jurisdiction is established and the case is processed by HUD; TRO Date Referred To DOJ may not be prior to HUD Date Filed....
CaseFile	TRODOJActionDate	datetime	NULL	DOJ Action Date textbox for entry of date Department of Justice is to act on the case. TRO DOJ Action Date may be entered only if TRO Date Referred To DOJ is present; TRO DOJ Action Date may not be prior to TRO Date Referred To DOJ.
CaseFile	TRODOJActionCode	char(1)	NULL	DOJ Action Type dropdown list of Department of Justice actions. TRO DOJ Action Type must be Issued or Rejected if TRO Action Date is entered; must be None Selected if TRO Action Date is blank.
CaseFile	LikelyCauseDateFlagged	datetime	NULL	Date Flagged As Likely Cause textbox for entry of the date the case was considered a likely cause.
CaseFile	DOJInvestDateFlagged	datetime	NULL	Date Flagged For DOJ Investigation textbox for entry of date the case was flagged for Department of Justice investigation. This field must be populated to transfer the case to DOJ.
CaseFile	DOJInvestType	char(1)	NULL	Type Of Investigation dropdown list containing types of investigations. None Selected is default. None Selected Criminal prosecution Pattern and practice Zoning/land use USDA case Other
CaseFile	CDPay	char(1)	NULL	Not applicable.
CaseFile	PIH	bit	NULL	PIH checkbox indicating type of Federal funding.
CaseFile	HUDInsured	bit	NULL	HUD Insured Program, Below Market Interest Rate checkbox indicating type of Federal funding.
CaseFile	USDAFunding	bit	NULL	USDA checkbox indicating type of Federal funding.
CaseFile	Taxcredit	bit	NULL	Tax Credit checkbox indicating type of Federal funding.
CaseFile	VA	bit	NULL	Veteran Administration checkbox indicating type of Federal funding.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFile	OtherNonHUD	bit	NULL	Other Non-HUD Federal Funding (Identify) checkbox indicating type of Federal funding
CaseFile	NumberCompensated	int	NULL	Non-Claimants Compensated (Specified Relief) Textbox for entry of the number of non-claimants receiving compensation.
CaseFile	DualFileStatus	int	NULL	Dual File Status drop down list. Options are: Dual Filing Status unknown Dual Filing Requested Dual Filing Not Requested Dual Filing Refused.
CaseFile	DualFileDate	datetime	NULL	The option Dual Filing Refused is available to HUD users only. Date in MM/DD/YYYY format when FHAP and HUD dual filing status established. This can only be entered by HUD users.
CaseFileTemp	Claimkey	int	NOT NULL	System assigned key that uniquely identifies a case file.
CaseFileTemp	HUDFileNo	char(9)	NULL	The region code must be equal to the region doing the initial entry. Fiscal year may be current or previous fiscal year only. The sequence number must be numeric and greater than "0000". The authority code must be "8" or "E" only....
CaseFileTemp	ReceivedDate	datetime	NULL	Date allegations first received by FHAP or HUD
CaseFileTemp	InterviewDate	datetime	NULL	Date Complainant/Claimant was initially interviewed.
CaseFileTemp	InterviewType	varchar(14)	NULL	Field describes whether interview was conducted via correspondence, over the telephone, or in person. User selects from drop down menu.
CaseFileTemp	InterviewInitials	char(7)	NULL	Not Applicable (Field removed)
CaseFileTemp	AssessAnalystInitials	char(7)	NULL	Who assessed the merits of the allegations. Can be the same person as the interviewer.
CaseFileTemp	InvestigatorInitials	char(7)	NULL	Who investigated the case on behalf of HUD.
CaseFileTemp	CaseName	varchar(63)	NULL	Description of case in Complainant vs. Respondent format.
CaseFileTemp	HUDMonitor	char(7)	NULL	HUD staff member assigned to monitor case.
CaseFileTemp	ClaimantName	varchar(30)	NULL	Claimant's full name
CaseFileTemp	conciliator	char(7)	NULL	Name of the HUD staff member selected from a drop down list of names. This is dependent on names entered by system administrator. Numbers next to the name indicate whether the person is from a hub, center, or FHAP. For example, a 00XX indicates a hub (

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	RegulatingAgency	varchar(1)	NULL	Agency regulating the mortgage lenders.. Dropdown list includes: OCC, FRB, FDIC, OTS, NCUA, FTC, and FHA
CaseFileTemp	MortgageLenderControl	varchar(12)	NULL	This is a number assigned to a mortgage lender to identify that bank or entity for tracking purposes.
CaseFileTemp	Origin	varchar(1)	NULL	Code that determines the origin of the complaint. Drop down list contains one of the codes below: HUD - Originated at HUD FHAP - Originated at FHAP Either yes or no. Depicts whether this case was initiated by the Secretary of HUD.
CaseFileTemp	SecretaryInitiated	bit	NULL	Drop down list of either Yes or No. Depicts whether it is a FHIP Referral
CaseFileTemp	FHIPReferral	bit	NULL	Drop down list of yes or no. Depicts whether HUD has sent a tester to test a claimant's complaint. This is essentially another case.
CaseFileTemp	Testing	bit	NULL	Drop down list of Yes, No - Claim Closed, or Not Yet. Depicts whether HUD has jurisdiction over this case.
CaseFileTemp	JurisdictionEstablished	smallint	NOT NULL	Located on Investigation tab. Drop down list of reasons for closing the case. None Selected is default. These include: None Selected 1-Untimely filed 2-Dismissed for lack of jurisdiction 3-Unable to locate complainant 4-Complainant Failed to cooperate 5-
CaseFileTemp	WhyClosedFiled	smallint	NULL	
CaseFileTemp	DateClosedFiled	datetime	NULL	Charge Date, HUD Date Filed, FHAP Closure Date, Reentry Date, Date Reopened, Cause Date, TRO Date Referred to DOJ, or TRO Action Date. On a FHAP-processed case, may only be entered if Payment Determination and FHAP Closure Date are present...

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	WhyClosedPrior	varchar(1)	NULL	<p>Located on Jurisdiction tab. Drop down list of reasons for closing the case. These include:</p> <p>No Reason Not timely filed No valid bases Failure to Respond by Claimant Unable to locate Claimant Informal Resolution prior to filing Decision by Claimant not</p>
CaseFileTemp	DateClosedPrior	datetime	NULL	<p>Located on Jurisdiction tab. Textbox for date of case closure. Use MM/DD/YYYY format. Required if No-Claim Closed is selected from HUD Jurisdiction Established? May not be prior to Contact Date</p>
CaseFileTemp	JurisdictionDeterminedBy	char(7)	NULL	Not applicable, not being used.
CaseFileTemp	FederalFundOption	smallint	NULL	Federal Funding to Respondent or Property attribute on Jurisdiction tab. It contains three mutually exclusive option buttons: Yes, No, Don't Know. Don't Know is default.
CaseFileTemp	WhoDE	bit	NULL	Check box, that informs the user that there is data supplied under the who discriminated button on the Intake Tab.
CaseFileTemp	WhenDE	bit	NULL	Check box, that informs the user that there is data supplied under the when did it happen button on the Intake Tab.
CaseFileTemp	WhereDE	bit	NULL	Check box, that informs the user that there is data supplied under the where did it happen button on the Intake Tab.
CaseFileTemp	WhatDE	bit	NULL	Check box, that informs the user that there is data supplied under the what happened button on the Intake Tab.
CaseFileTemp	HUD100DayLetterDate	datetime	NULL	Date on which the agency issues the 100 - day letter.
CaseFileTemp	WhyDE	bit	NULL	Check box, that informs the user that there is data supplied under why did it happen button on the Intake Tab.
CaseFileTemp	OtherDE	bit	NULL	Check box, that informs the user that there is data supplied under the Other Questions for Claimant button, on the Intake tab.
CaseFileTemp	FHAPClosureDate	datetime	NULL	<p>FHAP Closure Date is a textbox for entry of the date the case was closed by the FHAP. May be entered only if FHAP Date Received is present. May not be prior to FHAP Date Received or FHAP Date To Legal. May not be prior to HUD Date Filed or Cause Date. Use</p>

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	NamesDE	bit	NULL	Check box, that informs the user that there is data supplied under the Names, addresses, etc. button, on the Intake tab.
CaseFileTemp	ComplainantDE	bit	NULL	Check box, that informs the user that there is data supplied under the Complainants/Claimants button on the Intake tab.
CaseFileTemp	PIH_DEV	bit	NULL	Not applicable
CaseFileTemp	ReliefHousing	bit	NULL	Housing is a checkbox indicating type of relief.
CaseFileTemp	PIH_MOD	bit	NULL	Not applicable.
CaseFileTemp	PIH_OPER	bit	NULL	Not applicable
CaseFileTemp	ReliefAffirmActOrAccom	bit	NULL	Affirm Act or Accom is a checkbox indicating type of relief.
CaseFileTemp	ReliefMonetary	bit	NULL	Monetary Compensation: is a checkbox indicating type of relief.
CaseFileTemp	PIH_OTHER	bit	NULL	Not applicable.
CaseFileTemp	ReliefEmployment	bit	NULL	Employment is a checkbox indicating type of relief.
CaseFileTemp	Sec8Assisted	bit	NULL	Sec. 8 Assisted, Tenant Based checkbox indicating type of Federal funding. On Types of Federal Funding button.
CaseFileTemp	F202_811	bit	NULL	HUD Assisted Housing (202, 811, 22104, Project Based, Section 8) checkbox indicating type of Federal funding.
CaseFileTemp	ReliefStructuralMod	bit	NULL	On Types of Federal Funding button. Structural Mod is a checkbox indicating type of relief.
CaseFileTemp	Homeless	bit	NULL	Checkbox indicating type of Federal funding on Types of Federal Funding button.
CaseFileTemp	ReliefOther	bit	NULL	Other is a check box indicating type of relief.
CaseFileTemp	CDBG	bit	NULL	CDBG checkbox indicating type of Federal funding.
CaseFileTemp	HOME	bit	NULL	HOME checkbox indicating type of Federal funding.
CaseFileTemp	HOPE	bit	NULL	On Types of Federal Funding button. HOPE checkbox indicating type of Federal funding.
CaseFileTemp	OtherCPD	bit	NULL	Other CPD checkbox indicating type of Federal funding.
CaseFileTemp	LeadBasedPaint	bit	NULL	Lead Based Paint checkbox indicating type of Federal funding.
CaseFileTemp	Other_Identify	bit	NULL	Other HUD Funding (Identify) checkbox indicating type of Federal funding.
CaseFileTemp	ConcurrentProcessing	smallint	NULL	Conduct Concurrent Processing? is a dropdown list containing Yes, No, and Don't Know to identify if multiple processing should apply to the case. Don't Know is default.
CaseFileTemp	FormSent	datetime	NULL	Date Form Sent is a textbox indicating date the notification letter was sent for signature. Use MM/DD/YYYY format.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	HUDDateFiled	datetime	NULL	HUD Date Filed is a textbox for the date the claim was filed. Use MM/DD/YYYY format. Must be entered if jurisdiction is established and may not be entered otherwise. May not be prior to Contact Date. May not be prior to Violation Date. May not be more than Date Notification Sent is a textbox indicating date the notification letter was actually sent out. Use MM/DD/YYYY format.
CaseFileTemp	NotificationSent	datetime	NULL	Processing Responsibility is a textbox that is automatically populated, based on user site login
CaseFileTemp	ProcessingResponsibility	varchar(1)	NULL	Complaint Signed? is a checkbox indicating whether complaint was signed by complainant.
CaseFileTemp	ComplaintSigned	bit	NULL	Title VI of 1964 Civil Rights Act checkbox for indicating if this authority applies to the case.
CaseFileTemp	TitleVI	bit	NULL	Title VI of 1964 Civil Rights Act textbox for file number of other authority
CaseFileTemp	TitleVI_Case	varchar(16)	NULL	Section 504 of 1973 Rehabilitation Act checkbox for indicating if this authority applies to the case.
CaseFileTemp	Section504	bit	NULL	Section 504 of 1973 Rehabilitation Act textbox for file number of other authority.
CaseFileTemp	Section504_Case	varchar(16)	NULL	Section 109 of the Housing and Community Development Act Of 1974 checkbox for indicating if this authority applies to the case.
CaseFileTemp	Part109	bit	NULL	Section 109 of the Housing and Community Development Act Of 1974 textbox for file number of other authority
CaseFileTemp	Part109_Case	varchar(16)	NULL	Executive Order 11063 checkbox for indicating if this authority applies to the case.
CaseFileTemp	EO11063	bit	NULL	Executive Order 11063 textbox for file number of other authority.
CaseFileTemp	EO11063_Case	varchar(16)	NULL	Executive Order 12892 checkbox for indicating if this authority applies to the case.
CaseFileTemp	EO12892	bit	NULL	Executive Order 12892 textbox for file number of other authority.
CaseFileTemp	EO12892_Case	varchar(16)	NULL	Executive Order 12898 checkbox for indicating if this authority applies to the case.
CaseFileTemp	EO12898	bit	NULL	Executive Order 12898 textbox for file number of other authority.
CaseFileTemp	EO12898_Case	varchar(16)	NULL	Americans With Disabilities Act of 1992 checkbox for indicating if this authority applies to the case.
CaseFileTemp	DisabilitiesAct	bit	NULL	Americans With Disabilities Act of 1992 textbox for file number of other authority.
CaseFileTemp	DisabilitiesAct_Case	varchar(16)	NULL	

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	AgeDiscrimination	bit	NULL	Age Discrimination Act of 1975 checkbox for indicating if this authority applies to the case.
CaseFileTemp	AgeDiscrimination_Case	varchar(16)	NULL	Age Discrimination Act of 1975 textbox for file number of other authority.
CaseFileTemp	Track1	bit	NULL	Type of inviestigation process issued for case. Full Investigation.
CaseFileTemp	Track2	bit	NULL	Type of inviestigation process issued for case. Systemic, Secretary Initiated, or novel and complex investigation.
CaseFileTemp	Track3	bit	NULL	Type of inviestigation process issued for case. Temporary Restraining Ordeer.
CaseFileTemp	Track4	bit	NULL	Type of inviestigation process issued for case. Expedited Investigation.
CaseFileTemp	Track5	bit	NULL	Type of inviestigation process issued for case. Fact-Finding.
CaseFileTemp	Track6	bit	NULL	Type of inviestigation process issued for case. Conciliation
CaseFileTemp	Region	varchar(2)	NULL	Region contains a dropdown list that allows the user to search for cases within a given region. Valid choices are All Regions, Headquarters, or one of the ten hubs. The default is All Regions for the system administrator at Headquarters; otherwise, default
CaseFileTemp	Office	varchar(2)	NULL	Not applicable.
CaseFileTemp	SiteID	char(4)	NULL	Site contains a dropdown list that allows the user to search for cases by a site location within a given region. The default is All Sites for the system administrator at Headquarters; otherwise, default to sites within the user's region.
CaseFileTemp	FHAPCaseNo	varchar(15)	NULL	FHAP Case No. contains a dropdown list and textbox that allows the user to search for a case by the FHAP case number. Operands are Begins with, Contains, or Equal to. Begins with is the default. The user must type a full or partial FHAP Case Number withou
CaseFileTemp	TitleIX	bit	NULL	Title IX of the Education Amendments Act of 1972 checkbox for indicating if this authority applies to the case.
CaseFileTemp	USDA	bit	NULL	USDA checkbox indicating type of Federal funding.
CaseFileTemp	TitleIX_Case	varchar(16)	NULL	Title IX of the Education Amendments Act of 1972 textbox for file number of other authority.
CaseFileTemp	HotCase	bit	NULL	Hot Case: contains a dropdown list to indicate whether the case is high priority. Items include Yes and No. Defaults to No.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	HotCaseNarrative	text	NULL	Hot Case textbox for description of case that defines why the case is a high priority.
CaseFileTemp	ReentryReason	text	NULL	Textbox for entering narrative explaining why case was reopened.
CaseFileTemp	Reentrydate	datetime	NULL	Reentry Date is a text box for entry of date case reentered the system. Use MM/DD/YYYY format. May be entered only if Jurisdiction is established. May not be prior to FHAP Date Received. Must be blank if no FHAP Referral Data is present. May not be prior
CaseFileTemp	ContractCaseRecallDate	datetime	NULL	not applicable.
CaseFileTemp	DateReopened	datetime	NULL	Date Reopened is a textbox for entry of date the case was reopened. Use MM/DD/YYYY format. Applies to complaints only. May be entered only if jurisdiction is established. May not be prior to HUD Date Filed or Reentry Date.
CaseFileTemp	CauseDate	datetime	NULL	Cause Date May not be prior to HUD Date Filed or Reentry Date. Use MM/DD/YYYY format.
CaseFileTemp	MixedFinding	bit	NULL	Mixed Finding? is a checkbox indicating mixed finding.
CaseFileTemp	FHAPPaymentCode	char(1)	NULL	Payment Determination contains a dropdown list of payment types. None Selected Accepted for Payment Rejected; Additional Documentation Required Rejected; Additional Processing Requested Rejected; Reactivated Rejected; Disposition None of the Above
CaseFileTemp	Relief	char(6)	NULL	HUD Relief: Checkboxes for HUD Relief terms applicable to the case. Available checkboxes are Housing, Employment, Affirm. Action/Reasonable Accom., Structural Modifications, Monetary, and Other Relief.
CaseFileTemp	Compensation	int	NULL	Compensation. Compensation dollar amount if applicable
CaseFileTemp	ReferredToOtherAuthority	bit	NULL	Referred to Other Authority is a checkbox indicating if case has been referred to agencies other than HUD.
CaseFileTemp	TRODateFlagged	datetime	NULL	Date Flagged for TRO textbox for date case was flagged for temporary restraining order.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	TRODateReferredToDOJ	datetime	NULL	Date Referred to DOJ textbox for entry of date case was referred to the Department of Justice. TRO Date Referred To DOJ may be entered only if jurisdiction is established and the case is processed by HUD; TRO Date Referred To DOJ may not be prior to HUD D DOJ Action Date textbox for entry of date Department of Justice is to act on the case. TRO DOJ Action Date may be entered only if TRO Date Referred To DOJ is present; TRO DOJ Action Date may not be prior to TRO Date Referred To DOJ.
CaseFileTemp	TRODOJActionDate	datetime	NULL	DOJ Action Type dropdown list of Department of Justice actions. TRO DOJ Action Type must be Issued or Rejected if TRO Action Date is entered; must be None Selected if TRO Action Date is blank.
CaseFileTemp	TRODOJActionCode	char(1)	NULL	Date Flagged As Likely Cause textbox for entry of the date the case was considered a likely cause.
CaseFileTemp	LikelyCauseDateFlagged	datetime	NULL	Date Flagged For DOJ Investigation textbox for entry of date the case was flagged for Department of Justice investigation. This field must be populated to transfer the case to DOJ.
CaseFileTemp	DOJInvestDateFlagged	datetime	NULL	Type Of Investigation dropdown list containing types of investigations. None Selected is default.
CaseFileTemp	DOJInvestType	char(1)	NULL	None Selected Criminal prosecution Pattern and practice Zoning/land use USDA case Other
CaseFileTemp	CDPay	char(1)	NULL	Not applicable.
CaseFileTemp	PIH	bit	NULL	PIH checkbox indicating type of Federal funding.
CaseFileTemp	USDAFunding	bit	NULL	USDA checkbox indicating type of Federal funding.
CaseFileTemp	TaxCredit	bit	NULL	Tax Credit checkbox indicating type of Federal funding.
CaseFileTemp	VA	bit	NULL	Veteran Administration checkbox indicating type of Federal funding.
CaseFileTemp	OtherNonHud	bit	NULL	Other Non-HUD Federal Funding (Identify) checkbox indicating type of Federal funding

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseFileTemp	NumberCompensated	int	NULL	Non-Claimants Compensated (Specified Relief) Textbox for entry of the number of non-claimants receiving compensation.
CaseFileTemp	Hudinsured	bit	NULL	HUD Insured Program, Below Market Interest Rate checkbox indicating type of Federal funding.
CaseFileTemp	DualFileStatus	int	NULL	Dual File Status drop down list. Options are: Dual Filing Status unknown Dual Filing Requested Dual Filing Not Requested Dual Filing Refused.
CaseFileTemp	DualFileDate	datetime	NULL	The option Dual Filing Refused is available to HUD users only. Date in MM/DD/YYYY format when FHAP and HUD dual filing status established. This can only be entered by HUD users.
CaselIssues	Claimkey	int	NOT NULL	Unique identifier for the claim
CaselIssues	IssueCode	varchar(3)	NOT NULL	Code that identifies the primary issues involved in the allegation 300 Discriminatory refusal to sell 310 Discriminatory refusal to rent 320 Discriminatory advertising,statements & notices 330 False Representation 340 Blockbusting
CaselIssues	Harassment	bit	NULL	Indicates if harassment was involved in the allegation
CaselIssues	Hostile	bit	NULL	Indicates if hostility was involved in the allegation
CaselIssues	ReasonableAccomodation	bit	NULL	Indicates if reasonable accomodation was involved in the allegation
CaselIssues	DisparatelImpact	bit	NULL	Indicates if disparate impact was involved in the allegation
CaselIssues	UnequalTreatment	bit	NULL	Indicates if unequal treatment was involved in the allegation
CaselIssues	Overt	bit	NULL	Indicates if being overt was involved in the allegation
CaselIssues	DesignAndConstruction	bit	NULL	Indicates if design and construction was involved in the allegation
CaselIssuesTemp	Claimkey	int	NOT NULL	Unique identifier for the claim

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseIssuesTemp	IssueCode	varchar(3)	NOT NULL	Code that identifies the primary issues involved in the allegation 300 Discriminatory refusal to sell 310 Discriminatory refusal to rent 320 Discriminatory advertising,statements & notices 330 False Representation 340 Blockbusting
CaseIssuesTemp	Harassment	bit	NULL	Indicates if harassment was involved in the allegation
CaseIssuesTemp	Hostile	bit	NULL	Indicates if hostility was involved in the allegation
CaseIssuesTemp	ReasonableAccomodation	bit	NULL	Indicates if reasonable accomodation was involved in the allegation
CaseIssuesTemp	DisparatelImpact	bit	NULL	Indicates if disparate impact was involved in the allegation
CaseIssuesTemp	UnequalTreatment	bit	NULL	Indicates if unequal treatment was involved in the allegation
CaseIssuesTemp	Overt	bit	NULL	Indicates if being overt was involved in the allegation
CaseIssuesTemp	DesignAndConstruction	bit	NULL	Indicates if design and construction was involved in the allegation
CaseMemos	Claimkey	int	NOT NULL	Unique identifier for the claim
CaseMemos	MemoKey	varchar(5)	NOT NULL	Unique identifier for a memo
CaseMemos	MemoText	text	NULL	Summary of comments made about a claim
CaseMemos	MemoText2	text	NULL	Summary of comments made about a claim
CaseMemosTemp	Claimkey	int	NOT NULL	Unique identifier for the claim
CaseMemosTemp	MemoKey	varchar(5)	NOT NULL	Unique identifier for a memo
CaseMemosTemp	MemoText	text	NULL	Summary of comments made about a claim
CaseMemosTemp	MemoText2	text	NULL	Summary of comments made about a claim
CaseNames	Claimkey	int	NOT NULL	Unique identifier for the claim
CaseNames	ComplainantKey	smallint	NOT NULL	Unique identifier for the complainant for this case
CaseNames	FirstName	varchar(20)	NULL	First name of the complainant
CaseNames	LastName	varchar(40)	NULL	Last name of the complainant
CaseNames	Organization	varchar(60)	NULL	Complainant's place of business
CaseNames	StreetAddress1	varchar(60)	NULL	Used to record the complainant's street address, box number, apartment number, etc.
CaseNames	StreetAddress2	varchar(60)	NULL	Used to record the complainant' street address, box number, apartment number, etc,. if a second line of such information is required
CaseNames	City	char(20)	NULL	Used to record the complainant's city
CaseNames	State	char(2)	NULL	Used to record the complainant's state

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseNames	Zip	char(10)	NULL	Used to record the complainant's zip code
CaseNames	HomePhone	char(14)	NULL	Used to record the complainant's home telephone number
CaseNames	WorkPhone	char(14)	NULL	Used to record the complainant's work telephone number
CaseNames	SocialSecurityNum	char(11)	NULL	Used to record the complainant's social security number
CaseNames	DateOfBirth	datetime	NULL	Used to record the complainant's date of birth
CaseNames	ComplaintSigned	bit	NULL	Indicates the complainant signed the complaint
CaseNames	Relationship	varchar(30)	NULL	Describes the relationship the contact has with the complainant. This column is currently not populated in the TEAPOTS database
CaseNames	Comments	text	NULL	Additional comments about the complainant
CaseNames	RegulatingAgency	varchar(1)	NULL	The regulating agency for the organization
CaseNamesTemp	Claimkey	int	NOT NULL	Unique identifier for the claim
CaseNamesTemp	ComplainantKey	smallint	NOT NULL	Unique identifier for the complainant for this case
CaseNamesTemp	FirstName	varchar(20)	NULL	First name of the complainant
CaseNamesTemp	LastName	varchar(40)	NULL	Last name of the complainant
CaseNamesTemp	Organization	varchar(60)	NULL	Complainant's place of business
CaseNamesTemp	StreetAddress1	varchar(60)	NULL	Used to record the complainant's street address, box number, apartment number, etc.
CaseNamesTemp	StreetAddress2	varchar(60)	NULL	Used to record the complainant' street address, box number, apartment number, etc., if a second line of such information is required
CaseNamesTemp	City	char(20)	NULL	Used to record the complainant's city
CaseNamesTemp	State	char(2)	NULL	Used to record the complainant's state
CaseNamesTemp	Zip	char(10)	NULL	Used to record the complainant's zip code
CaseNamesTemp	HomePhone	char(14)	NULL	Used to record the complainant's home telephone number
CaseNamesTemp	WorkPhone	char(14)	NULL	Used to record the complainant's work telephone number
CaseNamesTemp	SocialSecurityNum	char(11)	NULL	Used to record the complainant's social security number
CaseNamesTemp	DateOfBirth	datetime	NULL	Used to record the complainant's date of birth
CaseNamesTemp	ComplaintSigned	bit	NULL	Indicates the complainant signed the complaint
CaseNamesTemp	Relationship	varchar(30)	NULL	Describes the relationship the contact has with the complainant. This column is currently not populated in the TEAPOTS database
CaseNamesTemp	Comments	text	NULL	Additional comments about the complainant
CaseNamesTemp	RegulatingAgency	varchar(1)	NULL	The regulating agency for the organization
CaseOtherAgs	Claimkey	int	NOT NULL	Unique identifier for the claim
CaseOtherAgs	OtherAgKey	smallint	NOT NULL	Unique identifier for the other agency

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseOtherAgs	FirstName	varchar(20)	NULL	First name of the other agency
CaseOtherAgs	LastName	varchar(40)	NULL	Last name of the other agency
CaseOtherAgs	Organization	varchar(60)	NULL	The other agency's place of business
CaseOtherAgs	StreetAddress1	varchar(60)	NULL	Used to record the other agency's street address, box number, apartment number, etc.
CaseOtherAgs	StreetAddress2	varchar(60)	NULL	Used to record the other agency's street address, box number, apartment number, etc.
CaseOtherAgs	City	char(20)	NULL	Used to record the other agency's city
CaseOtherAgs	State	char(2)	NULL	Used to record the other agency's state
CaseOtherAgs	Zip	char(10)	NULL	Used to record the other agency's zip code
CaseOtherAgs	HomePhone	char(14)	NULL	Used to record the other agency's home telephone number
CaseOtherAgs	WorkPhone	char(14)	NULL	Used to record the other agency's work telephone number
CaseOtherAgs	SocialSecurityNum	char(11)	NULL	Used to record the other agency's social security number
CaseOtherAgs	DateOfBirth	datetime	NULL	Used to record the other agency's date of birth
CaseOtherAgs	Comments	text	NULL	Additional comments about the other agency
CaseOtherAgsTemp	Claimkey	int	NOT NULL	Unique identifier for the claim
CaseOtherAgsTemp	OtherAgKey	smallint	NOT NULL	Unique identifier for the other agency
CaseOtherAgsTemp	FirstName	varchar(20)	NULL	First name of the other agency
CaseOtherAgsTemp	LastName	varchar(40)	NULL	Last name of the other agency
CaseOtherAgsTemp	Organization	varchar(60)	NULL	The other agency's place of business
CaseOtherAgsTemp	StreetAddress1	varchar(60)	NULL	Used to record the other agency's street address, box number, apartment number, etc.
CaseOtherAgsTemp	StreetAddress2	varchar(60)	NULL	Used to record the other agency's street address, box number, apartment number, etc.
CaseOtherAgsTemp	City	char(20)	NULL	Used to record the other agency's city
CaseOtherAgsTemp	State	char(2)	NULL	Used to record the other agency's state
CaseOtherAgsTemp	Zip	char(10)	NULL	Used to record the other agency's zip code
CaseOtherAgsTemp	HomePhone	char(14)	NULL	Used to record the other agency's home telephone number
CaseOtherAgsTemp	WorkPhone	char(14)	NULL	Used to record the work telephone number of the other agency
CaseOtherAgsTemp	SocialSecurityNum	char(11)	NULL	Used to record the other agency's social security number
CaseOtherAgsTemp	DateOfBirth	datetime	NULL	Used to record the other agency's date of birth
CaseOtherAgsTemp	Comments	text	NULL	Additional comments about the other agency
CaseOtherDiffs	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseOtherDiffs	OtherDiffKey	smallint	NOT NULL	Unique identifier for other who were treated differently than the complainant

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseOtherDiffs	FirstName	varchar(20)	NULL	First Name of the other who was treated differently than the claimant
CaseOtherDiffs	LastName	varchar(40)	NULL	Last Name of the other who was treated differently than the claimant
CaseOtherDiffs	Organization	varchar(60)	NULL	The place of business of the other agency who was treated differently than the complainant
CaseOtherDiffs	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the others who were treated differently than the claimant
CaseOtherDiffs	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the others who were treated differently than the claimant
CaseOtherDiffs	City	char(20)	NULL	City of the other who was treated differently than the claimant
CaseOtherDiffs	State	char(2)	NULL	State of the other who was treated differently than the claimant
CaseOtherDiffs	Zip	char(10)	NULL	Zip Code of the other who was treated differently than the claimant
CaseOtherDiffs	HomePhone	char(14)	NULL	Home telephone of the other who was treated differently than the claimant
CaseOtherDiffs	WorkPhone	char(14)	NULL	Work telephone of the other who was treated differently than the claimant
CaseOtherDiffs	SocialSecurityNum	char(11)	NULL	Social Security Number of the other who was treated differently than the claimant
CaseOtherDiffs	DateOfBirth	datetime	NULL	Date of birth of the other who was treated differently than the claimant
CaseOtherDiffs	Comments	text	NULL	Additional comments about the other who was treated differently than the claimant
CaseOtherDiffsTem	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseOtherDiffsTem	OtherDiffKey	smallint	NOT NULL	Unique identifier for other who were treated differently than the complainant
CaseOtherDiffsTem	FirstName	varchar(20)	NULL	First Name of the other who was treated differently than the claimant
CaseOtherDiffsTem	LastName	varchar(40)	NULL	Last Name of the other who was treated differently than the claimant
CaseOtherDiffsTem	Organization	varchar(60)	NULL	The place of business of the other agency who was treated differently than the complainant

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseOtherDiffsTem	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the others who were treated differently than the claimant
CaseOtherDiffsTem	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the others who were treated differently than the claimant
CaseOtherDiffsTem	City	char(20)	NULL	City of the other who was treated differently than the claimant
CaseOtherDiffsTem	State	char(2)	NULL	State of the other who was treated differently than the claimant
CaseOtherDiffsTem	Zip	char(10)	NULL	Zip Code of the other who was treated differently than the claimant
CaseOtherDiffsTem	HomePhone	char(14)	NULL	Home telephone of the other who was treated differently than the claimant
CaseOtherDiffsTem	WorkPhone	char(14)	NULL	Work telephone of the other who was treated differently than the claimant
CaseOtherDiffsTem	SocialSecurityNum	char(11)	NULL	Social Security Number of the other who was treated differently than the claimant
CaseOtherDiffsTem	DateOfBirth	datetime	NULL	Date of birth of the other who was treated differently than the claimant
CaseOtherDiffsTem	Comments	text	NULL	Additional comments about the other who was treated differently than the claimant
CaseOtherSame	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseOtherSame	OtherSameKey	smallint	NOT NULL	Unique identifier for an other who was treated in the same manner as the client
CaseOtherSame	FirstName	varchar(20)	NULL	First name of the other who was treated in the same manner as the complainant
CaseOtherSame	LastName	varchar(40)	NULL	Last name of the other who was treated in the same manner as complainant
CaseOtherSame	Organization	varchar(60)	NULL	Place of business of the other who was treated in the same manner as the complainant
CaseOtherSame	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the other who was treated in the same manner as the claimant
CaseOtherSame	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the other who was treated in the same manner as the claimant

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseOtherSame	City	char(20)	NULL	City of the other who was treated in the same manner as the complainant
CaseOtherSame	State	char(2)	NULL	State of the other who was treated in the same manner as the complainant
CaseOtherSame	Zip	char(10)	NULL	Zip Code of the other who was treated in the same manner as the complainant
CaseOtherSame	HomePhone	char(14)	NULL	Home telephone number of the other who was treated in the same manner as the complainant
CaseOtherSame	WorkPhone	char(14)	NULL	Work telephone number of the other who was treated in the same manner as the complainant
CaseOtherSame	SocialSecurityNum	char(11)	NULL	Social Security Number of the other who was treated in the same manner as the complainant
CaseOtherSame	DateOfBirth	datetime	NULL	Date of Birth of the other who was treated in the same manner as the complainant
CaseOtherSame	Comments	text	NULL	Additional comments about the other who was treated the same as the claimant
CaseOtherSameTei	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseOtherSameTei	OtherSameKey	smallint	NOT NULL	Unique identifier for an other who was treated in the same manner as the client
CaseOtherSameTei	FirstName	varchar(20)	NULL	First name of the other who was treated in the same manner as the complainant
CaseOtherSameTei	LastName	varchar(40)	NULL	Last name of the other who was treated in the same manner as complainant
CaseOtherSameTei	Organization	varchar(60)	NULL	Place of business of the other who was treated in the same manner as the complainant
CaseOtherSameTei	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the other who was treated in the same manner as the claimant
CaseOtherSameTei	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the other who was treated in the same manner as the claimant
CaseOtherSameTei	City	char(20)	NULL	City of the other who was treated in the same manner as the complainant
CaseOtherSameTei	State	char(2)	NULL	State of the other who was treated in the same manner as the
CaseOtherSameTei	Zip	char(10)	NULL	Zip Code of the other who was treated in the same manner as the complainant

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseOtherSameTei	HomePhone	char(14)	NULL	Home telephone number of the other who was treated in the same manner as the complainant
CaseOtherSameTei	WorkPhone	char(14)	NULL	Work telephone number of the other who was treated in the same manner as the
CaseOtherSameTei	SocialSecurityNum	char(11)	NULL	Social Security Number of the other who was treated in the same manner as the complainant
CaseOtherSameTei	DateOfBirth	datetime	NULL	Date of Birth of the other who was treated in the same manner as the complainant
CaseOtherSameTei	Comments	text	NULL	Additional comments about the other who was treated the same as the claimant
CaseOtherWitness	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseOtherWitness	OtherWitnessKey	smallint	NOT NULL	Unique identifier for other witnesses in the case.
CaseOtherWitness	FirstName	varchar(20)	NULL	First name of the other witness for the complainant in the case
CaseOtherWitness	LastName	varchar(40)	NULL	Last name of the other witness for the complainant in the case
CaseOtherWitness	Organization	varchar(60)	NULL	Place of busines for the other witness for the complainant in the case
CaseOtherWitness	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the other witness for the complainant in the case
CaseOtherWitness	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the other witness for the complainant in the case
CaseOtherWitness	City	char(20)	NULL	City of the other witness for the complainant in the case
CaseOtherWitness	State	char(2)	NULL	State of the other witness for the complainant in the case
CaseOtherWitness	Zip	char(10)	NULL	Zip code of the other witness for the complainant in the case
CaseOtherWitness	HomePhone	char(14)	NULL	Home telephone number of the other witness for the complainant in the case
CaseOtherWitness	WorkPhone	char(14)	NULL	Work telephone number of the other witness for the complainant in the case
CaseOtherWitness	SocialSecurityNum	char(11)	NULL	Social Security Number of the other witness for the complainant in the case
CaseOtherWitness	DateOfBirth	datetime	NULL	Date of birth of the other witness for the complainant in the case
CaseOtherWitness	Comments	text	NULL	Additional comments about the other witness for the complainant in the case
CaseOtherWitness1	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseOtherWitness1	OtherWitnessKey	smallint	NOT NULL	Unique identifier for other witnesses in the case.
CaseOtherWitness1	FirstName	varchar(20)	NULL	First name of the other witness for the complainant in the case
CaseOtherWitness1	LastName	varchar(40)	NULL	Last name of the other witness for the complainant in the case

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseOtherWitness1	Organization	varchar(60)	NULL	Place of business for the other witness for the complainant in the case
CaseOtherWitness1	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc. of the other witness for the complainant in the case
CaseOtherWitness1	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc. of the other witness for the complainant in the case
CaseOtherWitness1	City	char(20)	NULL	City of the other witness for the complainant in the case
CaseOtherWitness1	State	char(2)	NULL	State of the other witness for the complainant in the case
CaseOtherWitness1	Zip	char(10)	NULL	Zip code of the other witness for the complainant in the case
CaseOtherWitness1	HomePhone	char(14)	NULL	Home telephone number of the other witness for the
CaseOtherWitness1	WorkPhone	char(14)	NULL	Work telephone number of the other witness for the complainant in the case
CaseOtherWitness1	SocialSecurityNum	char(11)	NULL	Social Security Number of the other witness for the complainant in the case
CaseOtherWitness1	DateOfBirth	datetime	NULL	Date of birth of the other witness for the complainant in the case
CaseOtherWitness1	Comments	text	NULL	Additional comments about the other witness for the complainant in the case
CaseRights	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseRights	SiteID	char(4)	NOT NULL	A unique location identifier for each office or agency
CaseRights	Initials	char(7)	NOT NULL	The initials of the employee entering the case information at the various processing levels
CaseRights	HUDFileNO	char(9)	NULL	The file number is used to identify a complaint. The file number is composed of nine digits as follows: (1) Region Code (Positions 1 - 2) - Two digit number from 01 - 10 to identify Region in which case was filed (2) Fiscal Year (Positions
CaseRights	Intake	bit	NULL	Indicates intake processing. The intake processing records the initial claim of housing discrimination for FHEO. Information is provided for complainants, respondents, detailed discrimination information and detailed allegation information.
CaseRights	Jurisdiction	bit	NULL	Indicates jurisdiction processing. The jurisdiction processing determines the jurisdiction of the case including type of Federal Funding, Other Authorities Applied, and FHAP Referral Data.
CaseRights	Interview	bit	NULL	Indicates Interview processing. The interview process presents a list of all interviews and interview memo data conducted for the case.

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseRights	Investigation	bit	NULL	Indicates investigation processing. The investigation process contains the elements that identify and describe the investigation processes used in the case
CaseRights	CaseMgmt	bit	NULL	Undicates Case Management processing. The Case Management processing displays a list of case management records
CaseRights	Tracks	bit	NULL	Indicates Tracks processing. The Tracks process allows you to identify investigation processes issued in the case
CaseRights	Conciliation	bit	NULL	Indicates Conciliation processing. The Conciliation process allows you to identify any conciliation attempts or actions taken to reconcile the parties in the case
CaseRights	OGC	bit	NULL	Indicates OGC processing. The OGC processing allows the Office of General Council personnel to enter information pertaining to case adjudication
CaseRights1	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseRights1	CaseName	varchar(76)	NULL	The filing name of the case (first complainant vs. first respondent). If the Respondent is an Organization, type the organization name
CaseTransfers	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseTransfers	SequenceNo	int	NOT NULL	Assigns numbers to transfer records in order of entry, starting with one for each file number
CaseTransfers	TransferCode	char(2)	NULL	A code indicating what transfer action took place, as follows: RO - RFHEO transfers out case to another RFHEO RI - RFHEO tranfers in case from another RFHEO RG - RFHEO transfer case to RC XI - RC receives
CaseTransfers	Transferdate	datetime	NULL	For transfer codes RG, 1X, 3X, RH, RO, 1R, 3R, 1F, 3F, GC, CS, CJ, PJ, ZJ and HG, this is the date on which the case is sent. For transfer code RI, 2X, 4X, HI, 2R, 4R, 2F, 4F, XI, CI, GR, JH, and GI, this is the date on which the case is received
CaseTransfers	ActionOffice	char(4)	NULL	This code is equal to the office code of the office recording the transfer action on the database

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseTransfers	OfficeEnteredBy	char(4)	NULL	The office that entered the case
CaseTransfers	OfficeFrom	char(4)	NULL	The office from which the case was transferred
CaseTransfers	OfficeTo	char(4)	NULL	The office to which the case is being transferred.
CaseTransfers	RemainDueDate	datetime	NULL	The date on which a remanded case is due to be returned to the remanding office.
CaseTransfers	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseTransfers	SequenceNo	int	NOT NULL	Assigns numbers to transfer records in order of entry, starting with one for each file number
CaseTransfers	TransferCode	char(2)	NULL	A code indicating what transfer action took place, as follows: RO - RFHEO transfers out case to another RFHEO RI - RFHEO tranfers in case from another RFHEO RG - RFHEO transfer case to RC XI - RC receives For transfer codes RG, 1X, 3X, RH, RO, 1R, 3R, 1F, 3F, GC, CS, CJ, PJ, ZJ and HG, this is the date on which the case is sent. For transfer code RI, 2X, 4X, HI, 2R, 4R, 2F, 4F, XI, CI, GR, JH, and GI, this is the date on which the case is received
CaseTransfers	Transferdate	datetime	NULL	This code is equal to the office code of the office recording the transfer action on the database
CaseTransfers	ActionOffice	char(4)	NULL	The office that entered the case
CaseTransfers	OfficeEnteredBy	char(4)	NULL	The office from which the case was transferred
CaseTransfers	OfficeFrom	char(4)	NULL	The office to which the case is being transferred.
CaseTransfers	OfficeTo	char(4)	NULL	The date on which a remanded case is due to be returned to the remanding office.
CaseTransfers	RemainDueDate	datetime	NULL	Unique identifier for a claim
CaseTransfers	Claimkey	int	NOT NULL	Assigns numbers to transfer records in order of entry, starting with one for each file
CaseTransfers	SequenceNo	int	NOT NULL	

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseTransfers	TransferCode	char(2)	NULL	<p>A code indicating what transfer action took place, as follows:</p> <p>RO - RFHEO transfers out case to another RFHEO</p> <p>RI - RFHEO tranfers in case from another RFHEO</p> <p>RG - RFHEO transfer case to RC</p> <p>XI - RC receives</p> <p>For transfer codes RG, 1X, 3X, RH, RO, 1R, 3R, 1F, 3F, GC, CS, CJ, PJ, ZJ and HG, this is the date on which the case is sent. For transfer code RI, 2X, 4X, HI, 2R, 4R, 2F, 4F, XI, CI, GR, JH, and GI, this is the date on which the case is received</p> <p>This code is equal to the office code of the office recording the transfer action on the database</p> <p>The office that entered the case</p> <p>The office from which the case was transferred</p> <p>The office to which the case is being transferred.</p> <p>The date on which a remanded case is due to be returned to the remanding office.</p> <p>Unique identifier for a claim</p> <p>Assigns numbers to transfer records in order of entry, starting with one for each file number</p> <p>A code indicating what transfer action took place, as follows:</p> <p>RO - RFHEO transfers out case to another RFHEO</p> <p>RI - RFHEO tranfers in case from another RFHEO</p> <p>RG - RFHEO transfer case to RC</p> <p>XI - RC receives</p> <p>For transfer codes RG, 1X, 3X, RH, RO, 1R, 3R, 1F, 3F, GC, CS, CJ, PJ, ZJ and HG, this is the date on which the case is sent. For transfer code RI, 2X, 4X, HI, 2R, 4R, 2F, 4F, XI, CI, GR, JH, and GI, this is the date on which the case is received</p>
CaseTransfers	Transferdate	datetime	NULL	
CaseTransfers	ActionOffice	char(4)	NULL	
CaseTransfers	OfficeEnteredBy	char(4)	NULL	
CaseTransfers	OfficeFrom	char(4)	NULL	
CaseTransfers	OfficeTo	char(4)	NULL	
CaseTransfers	RemainDueDate	datetime	NULL	
CaseTransfersTemp	Claimkey	int	NOT NULL	
CaseTransfersTemp	SequenceNo	int	NOT NULL	
CaseTransfersTemp	TransferCode	char(2)	NULL	
CaseTransfersTemp	Transferdate	datetime	NULL	

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseTransfersTemp	ActionOffice	char(4)	NULL	This code is equal to the office code of the office recording the transfer action on the database
CaseTransfersTemp	OfficeEnteredBy	char(4)	NULL	The office that entered the case
CaseTransfersTemp	OfficeFrom	char(4)	NULL	The office from which the case was transferred
CaseTransfersTemp	OfficeTo	char(4)	NULL	The office to which the case is being transferred.
CaseTransfersTemp	RemainDueDate	datetime	NULL	The date on which a remanded case is due to be returned to the remanding office.
CaseWhat	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhat	WhatMemo	text	NULL	Allows you to describe the discriminatory act that initiated the case and to select the issue involved in the case
CaseWhatTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhatTemp	WhatMemo	text	NULL	Allows you to describe the discriminatory act that initiated the case and to select the issue involved in the case
CaseWhen	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhen	ViolationDate	datetime	NULL	Date of the most recent violation
CaseWhen	Continuing	bit	NULL	Indicates if the violation is being continued
CaseWhenTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhenTemp	ViolationDate	datetime	NULL	Date of the most recent violation
CaseWhenTemp	Continuing	bit	NULL	Indicates if the violation is being continued
CaseWhere	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhere	PropertyInvolved	bit	NULL	Indicates if property was involved in the violation
CaseWhere	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the property involved in the violation
CaseWhere	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the property involved in the violation
CaseWhere	County	varchar(30)	NULL	The county of the property involved in the violation
CaseWhere	City	char(20)	NULL	The city of the property involved in the violation
CaseWhere	State	char(2)	NULL	The state of the property involved in the violation
CaseWhere	Zip	char(10)	NULL	The zip code of the property involved in the violation

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhere	OwnerOccupied	bit	NULL	Indicates if the property involved in case is owner occupied i.e. Dwelling occupied or intended to be occupied by 4 or less families Families are living independent of each other Owner actually occupies one unit as
CaseWhere	SingleFamily	bit	NULL	Indicates if the type of property involved in the case is single family
CaseWhere	SeniorCommunity	bit	NULL	Indicates if the type of property involved in the case is Senior Community
CaseWhere	Duplex2Family	bit	NULL	Indicates if the type of property involved in the case is Duplex/2 - family
CaseWhere	Home3_Or_4Family	bit	NULL	Indicates if the type of property involved in the case is Home 3 or 4 family
CaseWhere	MultiFamilyStructure	bit	NULL	Indicates if the type of property involved in the case is a Multi Family Structure
CaseWhere	Condo	bit	NULL	Indicates if the type of property involved in the case is a condo
CaseWhere	CoOp	bit	NULL	Indicates if the type of property involved in the case is a CoOp
CaseWhere	NumUnits	smallint	NULL	The number of units involved in the case
CaseWhere	OwnershipType	varchar(1)	NULL	Identifies how the property was funded through purchase rental or other.
CaseWhere	OtherSpecified	varchar(50)	NULL	Describes other ways the property was funded
CaseWhere	OwnershipInfo	varchar(10)	NULL	Additional comments about ownership information about the property involved in the violation
CaseWhere	OwnershipInformation	text	NULL	Additional comments about ownership information about the property involved in the violation
CaseWhere	Comments	text	NULL	Additional comments about the property involved in the case
CaseWhere	ExemptRO	bit	NULL	Indicates if the property involved in the case is exempt because of religious organization
CaseWhere	ExemptRO1	bit	NULL	Indicates if property involved in case is exempt because of Religious org. or non-profit institute controlled or operated by rel.org.
CaseWhere	ExemptRO2	bit	NULL	Indicates if property involved in case is exempt because of sale or rental of property

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhere	ExemptRO3	bit	NULL	Indicates if property involved in case is exempt because of Sale or rental for other than commercial purpose
CaseWhere	ExemptRO4	bit	NULL	Indicates if property involved in case is exempt because Complaint is based on giving preferences to same religion as rel. org
CaseWhere	ExemptRO5	bit	NULL	Indicates if property involved in case is exempt because Membership in religion is not restricted based on race,color or nat'l origin
CaseWhere	ExemptPC	bit	NULL	Indicates if the property involved in the case is exempt because of private club
CaseWhere	ExemptPC1	bit	NULL	Indicates if property involved in case is exempt because the property is not open to public
CaseWhere	ExemptPC2	bit	NULL	Indicates if property involved in case is exempt because lodging is incidental to primary purpose of club
CaseWhere	ExemptPC3	bit	NULL	Indicates if property involved in case is exempt because complaint is based on Preference given to club member
CaseWhere	ExemptPC4	bit	NULL	Indicates if property involved in case is exempt because the property provides lodging for other than commercial purposes
CaseWhere	ExemptOO	bit	NULL	Indicates if the property involved in the case is exempt because the property is owner occupied with 4 units or less
CaseWhere	ExemptOO1	bit	NULL	Indicates if property involved in case is exempt because the dwelling is occupied or is intended to be occupied by 4 or less families
CaseWhere	ExemptOO2	bit	NULL	Indicates if property involved in case is exempt because families are living independent of each other
CaseWhere	ExemptOO3	bit	NULL	Indicates if property involved in case is exempt because owner actually occupies one unit as residence
CaseWhere	ExemptOO4	bit	NULL	Indicates if property involved in case is exempt because the complaint does not concern discriminatory advertisement
CaseWhere	ExemptRC	bit	NULL	
CaseWhere	ExemptRC1	bit	NULL	
CaseWhere	ExemptRC2	bit	NULL	
CaseWhere	ExemptRC3	bit	NULL	
CaseWhere	ExemptSF	bit	NULL	Indicates if the property involved in the case is exempt because the property is a single family home

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhere	ExemptSF1	bit	NULL	Indicates if the property involved in the case is exempt because the complaint is not based on Discriminatory advertising
CaseWhere	ExemptSF2	bit	NULL	Indicates if the property involved in the case is exempt because the complaint is against the owner
CaseWhere	ExemptSF3	bit	NULL	Indicates if the property involved in the case is exempt because the complaint involves sale or rental of Single Family home or condo unit
CaseWhere	ExemptSF4	bit	NULL	Indicates if the property involved in the case is exempt because the owner does not have an interest in more than three single family homes or condo units
CaseWhere	ExemptSF5	bit	NULL	Indicates if the property involved in the case is exempt because there is no use of any person or facilities of any person in the business of selling or renting property
CaseWhere	ExemptSF6	bit	NULL	Indicates if the property involved in the case is exempt because the owner is: a) most recent occupant, or b) not most recent occupant but has not used exemption w/in past 24 months
CaseWhere	ExemptSH	bit	NULL	Indicates if the property involved in the case is exempt because the property is for senior housing
CaseWhere	ExemptSH_SF1	bit	NULL	Indicates if the property involved in the case is exempt because of State and Federal Program
CaseWhere	ExemptSH_SF2	bit	NULL	Indicates if the property involved in the case is exempt because of 62 or Over Housing
CaseWhere	ExemptSH_SF3	bit	NULL	Indicates if the property involved in the case is exempt because of 55 and Older Housing
CaseWhere	ExemptSH_62O1	bit	NULL	Indicates if the property involved in the case is exempt because are all residents 62 or over?
CaseWhere	ExemptSH_62O2	bit	NULL	property involved in the case is exempt because were those under 62 in residence prior to Sept.13,1988 or are employees of facility[or their families] who perform substantial duties directly related to management or maintenance of housing...
CaseWhere	ExemptSH_62O3	bit	NULL	Indicates if the property involved in the case is exempt because is complaint based on family status?

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhere	ExemptSH_55O1	bit	NULL	Indicates if the property involved in the case is exempt because is housing intended and operated for occupancy by persons 55 and older
CaseWhere	ExemptSH_55O2	bit	NULL	Indicates if the property involved in the case is exempt because are at least 80% of occupied units occupied by at least one person 55+
CaseWhere	ExemptSH_55O3	bit	NULL	Indicates if the property involved in the case is exempt because has housing published and adhered to policies and procedures that demonstrate it's intent to be senior housing
CaseWhere	ExemptSH_55O4	bit	NULL	Indicates if the property involved in the case is exempt because has housing complied with verification of occupancy requirements
CaseWhere	ExemptSH_55O5	bit	NULL	Indicates if the property involved in the case is exempt because Is complaint based on family status?
CaseWhereTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhereTemp	PropertyInvolved	bit	NULL	Indicates if property was involved in the violation
CaseWhereTemp	StreetAddress1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the property involved in the violation
CaseWhereTemp	StreetAddress2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the property involved in the violation
CaseWhereTemp	County	varchar(30)	NULL	The county of the property involved in the violation
CaseWhereTemp	City	char(20)	NULL	The city of the property involved in the violation
CaseWhereTemp	State	char(2)	NULL	The state of the property involved in the violation
CaseWhereTemp	Zip	char(10)	NULL	The zip code of the property involved in the violation
CaseWhereTemp	OwnerOccupied	bit	NULL	Indicates if the property involved in case is owner occupied
				i.e. Dwelling occupied or intended to be occupied by 4 or less families
				Families are living independent of each other
				Owner actually occupies one unit as
CaseWhereTemp	SingleFamily	bit	NULL	Indicates if the type of property involved in the case is single family
CaseWhereTemp	SeniorCommunity	bit	NULL	Indicates if the type of property involved in the case is Senior Community

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhereTemp	Duplex2Family	bit	NULL	Indicates if the type of property involved in the case is Duplex/2 - family
CaseWhereTemp	Home3_Or_4Family	bit	NULL	Indicates if the type of property involved in the case is Home 3 or 4 family
CaseWhereTemp	MultiFamilyStructure	bit	NULL	Indicates if the type of property involved in the case is a Multi Family Structure
CaseWhereTemp	Condo	bit	NULL	Indicates if the type of property involved in the case is a condo
CaseWhereTemp	CoOp	bit	NULL	Indicates if the type of property involved in the case is a CoOp
CaseWhereTemp	NumUnits	smallint	NULL	The number of units involved in the case
CaseWhereTemp	OwnershipType	varchar(1)	NULL	Identifies how the property was funded through purchase rental or other.
CaseWhereTemp	OtherSpecified	varchar(50)	NULL	Describes other ways the property was funded
CaseWhereTemp	OwnershipInfo	varchar(10)	NULL	Additional comments about ownership information about the property involved in the violation
CaseWhereTemp	OwnershipInformation	text	NULL	Additional comments about ownership information about the property involved in the violation
CaseWhereTemp	Comments	text	NULL	Additional comments about the property involved in the case
CaseWhereTemp	ExemptRO	bit	NULL	Indicates if the property involved in the case is exempt because of religious organization
CaseWhereTemp	ExemptRO1	bit	NULL	Indicates if property involved in case is exempt because of Religious org. or non-profit institute controlled or operated by rel.org.
CaseWhereTemp	ExemptRO2	bit	NULL	Indicates if property involved in case is exempt because of sale or rental of property
CaseWhereTemp	ExemptRO3	bit	NULL	Indicates if property involved in case is exempt because of Sale or rental for other than commercial purpose
CaseWhereTemp	ExemptRO4	bit	NULL	Indicates if property involved in case is exempt because Complaint is based on giving preferences to same religion as rel. org
CaseWhereTemp	ExemptRO5	bit	NULL	Indicates if property involved in case is exempt because Membership in religion is not restricted based on race,color or nat'l origin
CaseWhereTemp	ExemptPC	bit	NULL	Indicates if the property involved in the case is exempt because of private club
CaseWhereTemp	ExemptPC1	bit	NULL	Indicates if property involved in case is exempt because the property is not open to public

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhereTemp	ExemptPC2	bit	NULL	Indicates if property involved in case is exempt because lodging is incidental to primary purpose of club
CaseWhereTemp	ExemptPC3	bit	NULL	Indicates if property involved in case is exempt because complaint is based on Preference given to club
CaseWhereTemp	ExemptPC4	bit	NULL	Indicates if property involved in case is exempt because the property provides lodging for other than commercial purposes
CaseWhereTemp	ExemptOO	bit	NULL	Indicates if the property involved in the case is exempt because the property is owner occupied with 4 units or less
CaseWhereTemp	ExemptOO1	bit	NULL	Indicates if property involved in case is exempt because the dwelling is occupied or is intended to be occupied by 4 or less families
CaseWhereTemp	ExemptOO2	bit	NULL	Indicates if property involved in case is exempt because families are living independent of each other
CaseWhereTemp	ExemptOO3	bit	NULL	Indicates if property involved in case is exempt because owner actually occupies one unit as residence
CaseWhereTemp	ExemptOO4	bit	NULL	Indicates if property involved in case is exempt because the complaint does not concern discriminatory advertisement
CaseWhereTemp	ExemptRC	bit	NULL	Indicates if the property involved in the case is exempt because the property is a single family home
CaseWhereTemp	ExemptRC1	bit	NULL	
CaseWhereTemp	ExemptRC2	bit	NULL	
CaseWhereTemp	ExemptRC3	bit	NULL	
CaseWhereTemp	ExemptSF	bit	NULL	
CaseWhereTemp	ExemptSF1	bit	NULL	Indicates if the property involved in the case is exempt because the complaint is not based on Discriminatory advertising
CaseWhereTemp	ExemptSF2	bit	NULL	Indicates if the property involved in the case is exempt because the complaint is against the owner
CaseWhereTemp	ExemptSF3	bit	NULL	Indicates if the property involved in the case is exempt because the complaint involves sale or rental of Single Family home or condo unit
CaseWhereTemp	ExemptSF4	bit	NULL	Indicates if the property involved in the case is exempt because the owner does not have an interest in more than three single family homes or condo units

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhereTemp	ExemptSF5	bit	NULL	Indicates if the property involved in the case is exempt because there is no use of any person or facilities of any person in the business of selling or renting property
CaseWhereTemp	ExemptSF6	bit	NULL	Indicates if the property involved in the case is exempt because the owner is: a) most recent occupant, or b) not most recent occupant but has not used exemption w/in past 24 months
CaseWhereTemp	ExemptSH	bit	NULL	Indicates if the property involved in the case is exempt because the property is for senior housing
CaseWhereTemp	ExemptSH_SF1	bit	NULL	Indicates if the property involved in the case is exempt because of State and Federal Program
CaseWhereTemp	ExemptSH_SF2	bit	NULL	Indicates if the property involved in the case is exempt because of 62 or Over Housing
CaseWhereTemp	ExemptSH_SF3	bit	NULL	Indicates if the property involved in the case is exempt because of 55 and Older Housing
CaseWhereTemp	ExemptSH_62O1	bit	NULL	Indicates if the property involved in the case is exempt because are all residents 62 or over?
CaseWhereTemp	ExemptSH_62O2	bit	NULL	property involved in the case is exempt because were those under 62 in residence prior to Sept.13,1988 or are employees of facility[or their families] who perform substantial duties directly related to management or maintenance of housing...
CaseWhereTemp	ExemptSH_62O3	bit	NULL	Indicates if the property involved in the case is exempt because is complaint based on family status?
CaseWhereTemp	ExemptSH_55O1	bit	NULL	Indicates if the property involved in the case is exempt because is housing intended and operated for occupancy by persons 55 and older
CaseWhereTemp	ExemptSH_55O2	bit	NULL	Indicates if the property involved in the case is exempt because are at least 80% of occupied units occupied by at least one person 55+
CaseWhereTemp	ExemptSH_55O3	bit	NULL	Indicates if the property involved in the case is exempt because has housing published and adhered to policies and procedures that demonstrate it's intent to be senior housing
CaseWhereTemp	ExemptSH_55O4	bit	NULL	Indicates if the property involved in the case is exempt because has housing complied with verification of occupancy requirements
CaseWhereTemp	ExemptSH_55O5	bit	NULL	Indicates if the property involved in the case is exempt because Is complaint based on family status?

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhy	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhy	White	bit	NULL	Indicates if violation occurred because complainant is White
CaseWhy	Black	bit	NULL	Indicates if violation occurred because complainant is Black
CaseWhy	NativeAmerican	bit	NULL	Indicates if violation occurred because complainant is Native American
CaseWhy	Asian	bit	NULL	Indicates if violation occurred because complainant is Asian
CaseWhy	Male	bit	NULL	Indicates if violation occurred because complainant is male
CaseWhy	Female	bit	NULL	Indicates if violation occurred because complainant is female
CaseWhy	Harrasment	bit	NULL	Indicates if violation occurred because of harrasment
CaseWhy	Color	bit	NULL	Indicates if violation occurred because of color
CaseWhy	Hispanic	bit	NULL	Indicates if violation occurred because complainant is Hispanic
CaseWhy	OtherOrigin	bit	NULL	Indicates if violation occurred because complainant is Other Origin
CaseWhy	OtherOriginValue	varchar(20)	NULL	Describes the Complainant's natural origin
CaseWhy	Mental	bit	NULL	Indicates if violation occurred because complainant has a mental handicap
CaseWhy	Physical	bit	NULL	Indicates if violation occurred because complainant has a physical handicap
CaseWhy	Under18	bit	NULL	Indicates if violation occurred because complainant is under 18
CaseWhy	Pregnant	bit	NULL	Indicates if violation occurred because complainant is pregnant
CaseWhy	Unknown1	bit	NULL	Indicates if violation occurred because unknown 1
CaseWhy	Unknown2	bit	NULL	Indicates if violation occurred because unkown 2
CaseWhy	Religion	bit	NULL	Indicates if violation occurred because of religion
CaseWhy	ReligionValue	varchar(20)	NULL	Description of the complainant's religion
CaseWhy	Retaliation	bit	NULL	Indicates if violation occurred because of retaliation
CaseWhy	FamilyStatusUnder18	bit	NULL	Indicates if violation occurred because of family status under 18
CaseWhy	FamilyStatusHaveCustody	bit	NULL	Indicates if violation occurred because of family status have custody
CaseWhy	FamilyStatusPregFemale	bit	NULL	Indicates if violation occurred because of family status pregnant female
CaseWhy	FamilyStatusNonSpecific	bit	NULL	Indicates if violation occurred because of family status nonspecific
CaseWhy	FamilyStatusSeekCustody	bit	NULL	Indicates if violation occurred because of family status seeking custody
CaseWhyTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
CaseWhyTemp	White	bit	NULL	Indicates if violation occurred because complainant is White
CaseWhyTemp	Black	bit	NULL	Indicates if violation occurred because complainant is Black

Table Name	Column Name	Datatype	Null Option	Column Comment
CaseWhyTemp	NativeAmerican	bit	NULL	Indicates if violation occurred because complainant is Native American
CaseWhyTemp	Asian	bit	NULL	Indicates if violation occurred because complainant is Asian
CaseWhyTemp	Male	bit	NULL	Indicates if violation occurred because complainant is male
CaseWhyTemp	Female	bit	NULL	Indicates if violation occurred because complainant is female
CaseWhyTemp	Harrasment	bit	NULL	Indicates if violation occurred because of harrasment
CaseWhyTemp	Color	bit	NULL	Indicates if violation occurred because of color
CaseWhyTemp	Hispanic	bit	NULL	Indicates if violation occurred because complainant is Hispanic
CaseWhyTemp	OtherOrigin	bit	NULL	Indicates if violation occurred because complainant is Other Origin
CaseWhyTemp	OtherOriginValue	varchar(20)	NULL	Describes the Complainant's natural origin
CaseWhyTemp	Mental	bit	NULL	Indicates if violation occurred because complainant has a mental handicap
CaseWhyTemp	Physical	bit	NULL	Indicates if violation occurred because complainant has a physical handicap
CaseWhyTemp	Under18	bit	NULL	Indicates if violation occurred because complainant is under 18
CaseWhyTemp	Pregnant	bit	NULL	Indicates if violation occurred because complainant is pregnant
CaseWhyTemp	Unknown1	bit	NULL	Indicates if violation occurred because unknown 1
CaseWhyTemp	Unknown2	bit	NULL	Indicates if violation occurred because unkown 2
CaseWhyTemp	Religion	bit	NULL	Indicates if violation occurred because of religion
CaseWhyTemp	ReligionValue	varchar(20)	NULL	Description of the complainant's religion
CaseWhyTemp	Retaliation	bit	NULL	Indicates if violation occurred because of retaliation
CaseWhyTemp	FamilyStatusUnder18	bit	NULL	Indicates if violation occurred because of family status under 18
CaseWhyTemp	FamilyStatusHaveCustody	bit	NULL	Indicates if violation occurred because of family status have custody
CaseWhyTemp	FamilyStatusPregFemale	bit	NULL	Indicates if violation occurred because of family status pregnant female
CaseWhyTemp	FamilyStatusNonSpecific	bit	NULL	Indicates if violation occurred because of family status nonspecific
CaseWhyTemp	FamilyStatusSeekCustody	bit	NULL	Indicates if violation occurred because of family status seeking custody
ComplainantContac	ContactID	smallint	NOT NULL	Unique identifier for a complainant contact
ComplainantContac	Claimkey	int	NOT NULL	Unique identifier for a claim
ComplainantContac	ComplainantKey	smallint	NOT NULL	Unique identifier for a complainant
ComplainantContac	FirstName	varchar(20)	NULL	First name of the complainant's contact
ComplainantContac	LastName	varchar(40)	NULL	Last name of the complainant's contact
ComplainantContac	Address1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's contact

Table Name	Column Name	Datatype	Null Option	Column Comment
ComplainantContac	Address2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's contact
	City	char(20)	NULL	City of the complainant's contact
	State	char(2)	NULL	State of the complainant's contact
	Zip	char(10)	NULL	Zip code of the complainant's contact
	HomePhone	char(14)	NULL	Home telephone number of the complainant's contact
	WorkPhone	char(14)	NULL	Work telephone number of the complainant's contact
	Relationship	varchar(30)	NULL	Describes the relationship between the complainant and the contact
	Comments	text	NULL	Additional comments about the contact for the complainant in the case
	ContactID	smallint	NOT NULL	Unique identifier for a complainant contact
	Claimkey	int	NOT NULL	Unique identifier for a claim
ComplainantContac	ComplainantKey	smallint	NOT NULL	Unique identifier for a complainant
	FirstName	varchar(20)	NULL	First name of the complainant's contact
	LastName	varchar(40)	NULL	Last name of the complainant's contact
	Address1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's contact
	Address2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's contact
	City	char(20)	NULL	City of the complainant's contact
	State	char(2)	NULL	State of the complainant's contact
	Zip	char(10)	NULL	Zip code of the complainant's contact
	HomePhone	char(14)	NULL	Home telephone number of the complainant's contact
	WorkPhone	char(14)	NULL	Work telephone number of the complainant's contact
ComplainantContac	Relationship	varchar(30)	NULL	Describes the relationship between the complainant and the contact
	Comments	text	NULL	Additional comments about the contact for the complainant in the case
	ReplID	int	NOT NULL	Unique identifier for the complainant representative
	Claimkey	int	NOT NULL	Unique identifier for the claim
	ComplainantKey	smallint	NOT NULL	Unique identifier for the complainant
	FirstName	varchar(20)	NULL	First name of the complainant's representative
	LastName	varchar(40)	NULL	Last name of the complainant's representative
	Firm	varchar(60)	NULL	Place of business of the complainant's representative

Table Name	Column Name	Datatype	Null Option	Column Comment
ComplainantReps	Address1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's representative
ComplainantReps	Address2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's representative
ComplainantReps	City	char(20)	NULL	City of the complainant's representative
ComplainantReps	State	char(2)	NULL	State of the complainant's representative
ComplainantReps	Zip	char(10)	NULL	Zip code of the complainant's representative
ComplainantReps	WorkPhone	char(14)	NULL	Work telephone number of the complainant's representative
ComplainantReps	Fax	char(14)	NULL	Fax telephone number of the complainant's representative
ComplainantReps	Comments	text	NULL	Additional comments about the representative for the complainant in the case
ComplainantRepsTbl	RepID	int	NOT NULL	Unique identifier for the complainant representative
ComplainantRepsTbl	Claimkey	int	NOT NULL	Unique identifier for the claim
ComplainantRepsTbl	ComplainantKey	smallint	NOT NULL	Unique identifier for the complainant
ComplainantRepsTbl	FirstName	varchar(20)	NULL	First name of the complainant's representative
ComplainantRepsTbl	LastName	varchar(40)	NULL	Last name of the complainant's representative
ComplainantRepsTbl	Firm	varchar(60)	NULL	Place of business of the complainant's representative
ComplainantRepsTbl	Address1	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's representative
ComplainantRepsTbl	Address2	varchar(60)	NULL	Used to record the street address, box number, apartment number, etc.of the complainant's representative
ComplainantRepsTbl	City	char(20)	NULL	City of the complainant's representative
ComplainantRepsTbl	State	char(2)	NULL	State of the complainant's representative
ComplainantRepsTbl	Zip	char(10)	NULL	Zip code of the complainant's representative
ComplainantRepsTbl	WorkPhone	char(14)	NULL	Work telephone number of the complainant's representative
ComplainantRepsTbl	Fax	char(14)	NULL	Fax telephone number of the complainant's representative
ComplainantRepsTbl	Comments	text	NULL	Additional comments about the representative for the complainant in the case
Conciliations	Claimkey	int	NOT NULL	Unique identifier for a claim
Conciliations	ConciliatorKey	int	NOT NULL	Unique identifier for a Conciliator
Conciliations	DateAttempted	datetime	NULL	The date attempted to reconcile the parties involved in the case
Conciliations	Typeofcontact	varchar(50)	NULL	The type of contact determines how the conciliation attempt was made
Conciliations	Conciliator	varchar(30)	NULL	The name of the Conciliator
Conciliations	Comment	text	NULL	Additional comments about the attempted conciliation
Conciliations	WhoTalkedTo	varchar(60)	NULL	The contacted person who was talked to

Table Name	Column Name	Datatype	Null Option	Column Comment
Conciliations	WhoTalkedToPosition	varchar(30)	NULL	The contacted person's position in the case
ConciliationsTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
ConciliationsTemp	ConciliatorKey	int	NOT NULL	Unique identifier for a Conciliator
ConciliationsTemp	DateAttempted	datetime	NULL	The date attempted to reconcile the parties involved in the case
ConciliationsTemp	Typeofcontact	varchar(50)	NULL	The type of contact determines how the conciliation attempt was made
ConciliationsTemp	Conciliator	varchar(30)	NULL	he name of the Conciliator
ConciliationsTemp	Comment	text	NULL	Additional comments about the attempted conciliation
ConciliationsTemp	WhoTalkedTo	varchar(60)	NULL	The contacted person who was talked to
ConciliationsTemp	WhoTalkedToPosition	varchar(30)	NULL	The contacted person's position in the case
Correspondencelter	ItemId	int	IDENTITY	Unique identifier for a correspondence item
Correspondencelter	SignatureBlock1	varchar(40)	NULL	The first line of signature block text
Correspondencelter	SignatureBlock2	varchar(40)	NULL	The second line of signature block text
Correspondencelter	SignatureBlock3	varchar(40)	NULL	The third line of signature block text
Correspondencelter	SignatureBlock4	varchar(40)	NULL	The fourth line of signature block text
Correspondencelter	SignatureBlock5	varchar(40)	NULL	The fifth line of signature block text
Correspondencelter	SignatureBlock6	varchar(40)	NULL	The sixth line of signature block text
Correspondencelter	DeterminationPointOfCon	text	NULL	Text box for determination point of contact
Correspondencelter	Address	text	NULL	Address of the point of contact
dbo_tblTemplates	TemplateID	int	NULL	Unique identifier for the template
dbo_tblTemplates	MemoKey	varchar(50)	NULL	An identifier for a case memo
dbo_tblTemplates	MemoText	text	NULL	A text memo made about the case
Delete_Exemptions	Claimkey	int	NOT NULL	Unique identifier for a claim
Delete_Exemptions	ReligOrNonProfit	varchar(1)	NULL	Indicates religious organization or nonprofit controlled or operated by a religious organization is an exemption
Delete_Exemptions	ReligInvolvesSalesOrRen	varchar(1)	NULL	Indicates religion involving sales or rental of property is an exemption
Delete_Exemptions	ReligNonComSaleOrRent	varchar(1)	NULL	Indicates that religious property for sale or rental for other than commercial purpose is an exemption
Delete_Exemptions	SameReligion	varchar(1)	NULL	Indicates that a complaint based on giving preferences to the same religion as religious organization is an exemption
Delete_Exemptions	ReligNonRestricted	varchar(1)	NULL	Indicates that membership in religion is not restricted based on race, color or national origin is an exemption
Delete_Exemptions	Claimkey	int	NOT NULL	Unique identifier for a claim
Delete_Exemptions	ReligOrNonProfit	varchar(1)	NULL	Indicates religious organization or nonprofit controlled or operated by a religious organization is an exemption

Table Name	Column Name	Datatype	Null Option	Column Comment
Delete_Exemptions	ReligInvolvesSalesOrRen	varchar(1)	NULL	Indicates religion involving sales or rental of property is an exemption
Delete_Exemptions	ReligNonComSaleOrRent	varchar(1)	NULL	Indicates that religious property for sale or rental for other than commercial purpose is an exemption
Delete_Exemptions	SameReligion	varchar(1)	NULL	Indicates that a complaint based on giving preferences to the same religion as religious organization is an exemption
Delete_Exemptions	ReligNonRestricted	varchar(1)	NULL	Indicates that membership in religion is not restricted based on race, color or national origin is an exemption
DeliberativeImpress	Claimkey	int	NOT NULL	Unique identifier for a claim
DeliberativeImpress	DeliberativeKey	int	NOT NULL	Unique identifier for deliberative impressions and opinions
DeliberativeImpress	Date	datetime	NULL	Date when opinions were taken
DeliberativeImpress	Initials	char(7)	NULL	Contains a list of Investigator initials. Investigator must be on staff table
DeliberativeImpress	Title	varchar(20)	NULL	The position of the investigator
DeliberativeImpress	Summary	text	NULL	Summary of informal impressions and opinions of the investigative process
DeliberativeImpress	Claimkey	int	NOT NULL	Unique identifier for a claim
DeliberativeImpress	DeliberativeKey	int	NOT NULL	Unique identifier for deliberative impressions and opinions
DeliberativeImpress	Date	datetime	NULL	Date when opinions were taken
DeliberativeImpress	Initials	char(7)	NULL	Contains a list of Investigator initials. Investigator must be on staff table
DeliberativeImpress	Title	varchar(20)	NULL	The position of the investigator
DeliberativeImpress	Summary	text	NULL	Summary of informal impressions and opinions of the investigative process
Document	Claimkey	int	NOT NULL	Unique identifier for a claim
Document	image_num	smallint	NOT NULL	A unique number for an image
Document	DocFilter	varchar(12)	NULL	Allows you to select the documents obtained for a case
Document	WhoProvided	varchar(30)	NULL	The name of the person who provided the document
Document	DocumentNature	varchar(30)	NULL	The nature of the document
Document	MethodObtained	varchar(15)	NULL	Describes how the document was obtained
Document	DocumentDate	datetime	NULL	The document's date
Document	DateObtained	datetime	NULL	The date the document was received
Document	Summary	text	NULL	Textual summary information about the document
DocumentTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
DocumentTemp	image_num	smallint	NOT NULL	A unique number for an image
DocumentTemp	DocFilter	varchar(12)	NULL	Allows you to select the documents obtained for a case

Table Name	Column Name	Datatype	Null Option	Column Comment
DocumentTemp	WhoProvided	varchar(30)	NULL	The name of the person who provided the document
DocumentTemp	DocumentNature	varchar(30)	NULL	The nature of the document
DocumentTemp	MethodObtained	varchar(15)	NULL	Describes how the document was obtained
DocumentTemp	DocumentDate	datetime	NULL	The document's date
DocumentTemp	DateObtained	datetime	NULL	The date the document was received
DocumentTemp	Summary	text	NULL	Textual summary information about the document
EnforcementActions	Claimkey	int	NOT NULL	Unique identifier for a claim
EnforcementActions	TRODateFlagged	datetime	NULL	The date the case was flagged from temporary restraining order
EnforcementActions	TRODateReferredToDOJ	datetime	NULL	The date the case was referred to the department of justice
EnforcementActions	TRODOJActionDate	datetime	NULL	The date the Department of Justice is to act on the case
EnforcementActions	TRODOJActionCode	char(1)	NULL	Indicates if the TRO was issued or rejected
EnforcementActions	LikelyCauseDateFlagged	datetime	NULL	The date the case was considered a likely cause
EnforcementActions	DOJInvestDateFlagged	datetime	NULL	The date the case was flagged for Department of Justice investigation
EnforcementActions	DOJInvestType	char(1)	NULL	Types of investigations i.e. None Selected Criminal Prosecution Pattern and Practice Zoning/ land use USDA Case Other
EnforcementActions	Agreement1Type	char(1)	NULL	Type 1 enforcement agreement
EnforcementActions	Agreement1Date	datetime	NULL	Date of enforcement for agreement type 1
EnforcementActions	Agreement1Parties	text	NULL	Parties involved in enforcement agreement for type 1 agreement
EnforcementActions	Agreement2Type	char(1)	NULL	Type 2 enforcement agreement type
EnforcementActions	Agreement2Date	datetime	NULL	Date of enforcement for agreement type 2
EnforcementActions	Agreement2Parties	text	NULL	Parties involved in enforcement agreement for type 2 agreement
EnforcementActions	Agreement3Type	char(1)	NULL	Type 3 enforcement agreement type
EnforcementActions	Agreement3Date	datetime	NULL	Date of enforcement for agreement type 3
EnforcementActions	Agreement3Parties	text	NULL	Parties involved in enforcement agreement for type 3 agreement
EnforcementActions	Claimkey	int	NOT NULL	Unique identifier for a claim
EnforcementActions	TRODateFlagged	datetime	NULL	The date the case was flagged from temporary restraining order
EnforcementActions	TRODateReferredToDOJ	datetime	NULL	The date the case was referred to the department of justice
EnforcementActions	TRODOJActionDate	datetime	NULL	The date the Department of Justice is to act on the case
EnforcementActions	TRODOJActionCode	char(1)	NULL	Indicates if the TRO was issued or rejected

Table Name	Column Name	Datatype	Null Option	Column Comment
EnforcementActions	LikelyCauseDateFlagged	datetime	NULL	The date the case was considered a likely cause
EnforcementActions	DOJInvestDateFlagged	datetime	NULL	The date the case was flagged for Department of Justice investigation
EnforcementActions	DOJInvestType	char(1)	NULL	Types of investigations i.e. None Selected Criminal Prosecution Pattern and Practice Zoning/ land use USDA Case Other
EnforcementActions	Agreement1Type	char(1)	NULL	Type 1 enforcement agreement
EnforcementActions	Agreement1Date	datetime	NULL	Date of enforcement for agreement type 1
EnforcementActions	Agreement1Parties	text	NULL	Parties involved in enforcement agreement for type 1 agreement
EnforcementActions	Agreement2Type	char(1)	NULL	Type 2 enforcement agreement type
EnforcementActions	Agreement2Date	datetime	NULL	Date of enforcement for agreement type 2
EnforcementActions	Agreement2Parties	text	NULL	Parties involved in enforcement agreement for type 2 agreement
EnforcementActions	Agreement3Type	char(1)	NULL	Type 3 enforcement agreement type
EnforcementActions	Agreement3Date	datetime	NULL	Date of enforcement for agreement type 3
EnforcementActions	Agreement3Parties	text	NULL	Parties involved in enforcement agreement for type 3 agreement
EnforcementAgreement	Claimkey	int	NOT NULL	Unique identifier for a claim
EnforcementAgreement	AgreementKey	smallint	NOT NULL	Unique identifier for an enforcement agreement
EnforcementAgreement	AgreementType	char(1)	NULL	Enforcement agreement types numbered 1-6
EnforcementAgreement	AgreementDate	datetime	NULL	The date of enforcement
EnforcementAgreement	AgreementNames	text	NULL	The name of the enforcement agreement
EnforcementAgreement	Claimkey	int	NOT NULL	Unique identifier for a case
EnforcementAgreement	AgreementKey	smallint	NOT NULL	Unique identifier for an enforcement agreement
EnforcementAgreement	AgreementType	char(1)	NULL	Enforcement agreement types numbered 1-6
EnforcementAgreement	AgreementDate	datetime	NULL	The date of enforcement
EnforcementAgreement	AgreementNames	text	NULL	The name of the enforcement agreement
FHAPAgencies	Region	varchar(2)	NOT NULL	Numeric region code
FHAPAgencies	AgencyID	varchar(4)	NOT NULL	Unique identifier for an agency
FHAPAgencies	Address1	varchar(60)	NULL	First line of address information for a FHAP agency
FHAPAgencies	Address2	varchar(60)	NULL	Second line of address information for an FHAP agency
FHAPAgencies	Address3	varchar(60)	NULL	Third line of address information for an FHAP agency
FHAPAgencies	Address4	varchar(60)	NULL	Fourth line of address information for an FHAP agency

Table Name	Column Name	Datatype	Null Option	Column Comment
FHAPAgencies	Address5	varchar(60)	NULL	Fifth line of address information for an FHAP agency
FHAPAgencies	Phone	varchar(14)	NULL	The telephone number of the FHAP agency
FHAPAgencies	Agency	varchar(60)	NULL	The full name of the FHAP agency
FHAPAgencies	ShortName	varchar(25)	NULL	The short name of the FHAP agency
FHAPAgencies	AdrCa1	varchar(12)	NULL	The cooperative agreement number 1 of the agreement with the agency that is in force this year
FHAPAgencies	CertDate	datetime	NULL	The date on which the agency was certified under the Fair Housing Act of 1988
FHAPAgencies	AdrCa2	varchar(12)	NULL	The cooperative agreement number 2 of the agreement with the agency that is in force this year
FHAPAgencies	AdrHero	varchar(1)	NULL	A one character flag indicating whether or not the agency is in HCTM
FHAPAgencies	AdrFepa	varchar(3)	NULL	The Fair Employment Practices Agencies code for the agency
FHAPAgencies	AdrFilPd	int	NULL	The approximate number of days in the agency's filing period
FHAPAgencies	AdrUpgr	varchar(1)	NULL	Identifies regional agency records that have been modified and should be included in the next upload
FHAPAgencies	AdrUpRdt	varchar(10)	NULL	Regional update date used to re-upload all updated records since a given date.
FHAPAgencies	AdrUpHQ	varchar(1)	NULL	Identifies agency headquarter records that have been modified and should be included in the next upload
FHAPAgencies	AdrUpHdt	varchar(10)	NULL	Agency headquarters update date used to re-upload all updated records since a given date.
FHAPReferralData	Claimkey	int	NOT NULL	Unique identifier for a claim
FHAPReferralData	FHAPAgencyID	varchar(4)	NULL	Identifies an FHAP agency
FHAPReferralData	FHAPCaseNo	varchar(15)	NULL	The case number assigned by the FHAP agency
FHAPReferralData	FHAPInvestigator	varchar(30)	NULL	The name of the FHAP investigator assigned to investigate the case
FHAPReferralData	FHAPDay100LetterDate	datetime	NULL	Date on which the FHAP agency issues the 100 - day letter
FHAPReferralData	FHAPDateReceived	datetime	NULL	The date on which the FHAP agency received the complaint
FHAPReferralData	FHAPDateToLegal	datetime	NULL	The date the case is referred to legal counsel
FHAPReferralData	FHAPElection	char(1)	NULL	The type of processing elected by the complainant or respondent after cause is found. Valid types are: Administrative Hearing Judicial Processing None

Table Name	Column Name	Datatype	Null Option	Column Comment
FHAPReferralData	FHAPDateHearingStarted	datetime	NULL	The date on which the hearing is started
FHAPReferralData	FHAPDateHearingComple	datetime	NULL	The date on which the hearing is completed
FHAPReferralData	FHAPHearingOutCome	char(1)	NULL	Identifies the outcome of the hearing as follows: None Selected Decision of no discrimination Decision of discrimination Other hearing outcome
FHAPReferralData	FHAPVouchNumber	char(1)	NULL	Contains a list of voucher types. The default is none selected. Other voucher types include 1, 2, 3, 4, 5
FHAPReferralData	FHAPPaymentCode	char(1)	NULL	Contains a list of payment types. The payment types are: None Selected Accepted for Payment Rejected; Additional Documentation Required Rejected; Additional Processing Requested Rejected; Reactivated Rejected; Disposition None of the Above
FHAPReferralDataT	Claimkey	int	NOT NULL	Unique identifier for a claim
FHAPReferralDataT	FHAPAgencyID	varchar(4)	NULL	Identifies an FHAP agency
FHAPReferralDataT	FHAPCaseNo	varchar(15)	NULL	The case number assigned by the FHAP agency
FHAPReferralDataT	FHAPInvestigator	varchar(30)	NULL	The name of the FHAP investigator assigned to investigate the case
FHAPReferralDataT	FHAPDay100LetterDate	datetime	NULL	Date on which the FHAP agency issues the 100 - day letter
FHAPReferralDataT	FHAPDateReceived	datetime	NULL	The date on which the FHAP agency received the complaint
FHAPReferralDataT	FHAPDateToLegal	datetime	NULL	The date the case is referred to legal counsel
FHAPReferralDataT	FHAPElection	char(1)	NULL	The type of processing elected by the complainant or respondent after cause is found. Valid types are: Administrative Hearing Judicial Processing None
FHAPReferralDataT	FHAPDateHearingStarted	datetime	NULL	The date on which the hearing is started
FHAPReferralDataT	FHAPDateHearingComple	datetime	NULL	The date on which the hearing is completed

Table Name	Column Name	Datatype	Null Option	Column Comment
FHAPReferralDataT	FHAPHearingOutCome	char(1)	NULL	Identifies the outcome of the hearing as follows: None Selected Decision of no discrimination Decision of discrimination Other hearing outcome
FHAPReferralDataT	FHAPVouchNumber	char(1)	NULL	Contains a list of voucher types. The default is none selected. Other voucher types include 1, 2, 3, 4, 5
FHAPReferralDataT	FHAPPaymentCode	char(1)	NULL	Contains a list of payment types. The payment types are: None Selected Accepted for Payment Rejected; Additional Documentation Required Rejected; Additional Processing Requested Rejected; Reactivated Rejected; Disposition None of the Above
HUDSeal	HUDSeal	text	NULL	The Housing Urban Development Seal
Interrogatories	Claimkey	int	NOT NULL	Unique identifier for a claim
Interrogatories	InterrogatoryKey	int	NOT NULL	Unique identifier for an interrogatory for a case
Interrogatories	DateSent	datetime	NULL	The date the interrogatory was sent
Interrogatories	SentTo	varchar(30)	NULL	Name of person receiving the information
Interrogatories	DateReturned	datetime	NULL	The date the interrogatory was returned
Interrogatories	Summary	text	NULL	Additional summary information about the interrogatory
InterrogatoriesTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
InterrogatoriesTemp	InterrogatoryKey	int	NOT NULL	Unique identifier for an interrogatory for a case
InterrogatoriesTemp	DateSent	datetime	NULL	The date the interrogatory was sent
InterrogatoriesTemp	SentTo	varchar(30)	NULL	Name of person receiving the information
InterrogatoriesTemp	DateReturned	datetime	NULL	The date the interrogatory was returned
InterrogatoriesTemp	Summary	text	NULL	Additional summary information about the interrogatory
Interview	Claimkey	int	NOT NULL	Unique identifier for a claim
Interview	InterviewKey	int	NOT NULL	Unique identifier for an interview
Interview	INTDate	datetime	NULL	The date of the initial interview
Interview	INTName	varchar(60)	NULL	The person being interviewed
Interview	INTTypePAR	varchar(30)	NULL	The interviewee's position in the case
Interview	INTTypeINT	varchar(14)	NULL	Contains how the interview was conducted
Interview	Interviewer	varchar(30)	NULL	The person who conducted the interview

Table Name	Column Name	Datatype	Null Option	Column Comment
Interview	INTNotes	text	NULL	Records notes about the interview
Interview	INTSummary	text	NULL	Records summary information about the interview
InterviewTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
InterviewTemp	InterviewKey	int	NOT NULL	Unique identifier for an interview
InterviewTemp	INTDate	datetime	NULL	The date of the initial interview
InterviewTemp	INTName	varchar(60)	NULL	The person being interviewed
InterviewTemp	INTTypePAR	varchar(30)	NULL	The interviewee's position in the case
InterviewTemp	INTTypeINT	varchar(14)	NULL	Contains how the interview was conducted
InterviewTemp	Interviewer	varchar(30)	NULL	The person who conducted the interview
InterviewTemp	INTNotes	text	NULL	Records notes about the interview
InterviewTemp	INTSummary	text	NULL	Records summary information about the interview
InvestigatorFactual	Claimkey	int	NOT NULL	Unique identifier for a claim
InvestigatorFactual	InvestigatorKey	int	NOT NULL	Unique identifier for an investigator
InvestigatorFactual	ObservationDate	datetime	NULL	The date the observation was taken
InvestigatorFactual	Investigator	varchar(30)	NULL	The name of the investigator
InvestigatorFactual	Summary	text	NULL	Records summary information about the investigator factual observations about the case
InvestigatorFactual	ClaimKey	int	NOT NULL	Unique identifier for a claim
InvestigatorFactual	InvestigatorKey	int	NOT NULL	Unique identifier for an investigator
InvestigatorFactual	ObservationDate	datetime	NULL	The date the observation was taken
InvestigatorFactual	Investigator	varchar(30)	NULL	The name of the investigator
InvestigatorFactual	Summary	text	NULL	Records summary information about the investigator factual observations about the case
InvestigatorFactual	Claimkey	int	NOT NULL	Unique identifier for a claim
InvestigatorFactual	InvestigatorKey	int	NOT NULL	Unique identifier for an investigator
InvestigatorFactual	ObservationDate	datetime	NULL	The date the observation was taken
InvestigatorFactual	Investigator	varchar(30)	NULL	The name of the investigator
InvestigatorFactual	Summary	text	NULL	Records summary information about the investigator factual observations about the case

Table Name	Column Name	Datatype	Null Option	Column Comment
Issue	Code	varchar(3)	NOT NULL	Unique dode that identifies the primary issues involved in the allegation 300 Discriminatory refusal to sell 310 Discriminatory refusal to rent 320 Discriminatory advertising,statements & notices 330 False Representation 340 Blockb
Issue	Issue	varchar(80)	NULL	A description of the code that identifies the primary issues involved in the allegation 300 Discriminatory refusal to sell 310 Discriminatory refusal to rent 320 Discriminatory advertising,statements & notices 330 False Representation
Issue	Section	varchar(11)	NULL	Indicates the section in Title VII that this issue falls under
Letters	Claimkey	int	NOT NULL	Unique identifier for a claim
Letters	letterid	int	NOT NULL	Unique identifier for a case letter
Letters	Letterdate	datetime	NULL	The date which the letter is printed by the system
Letters	LetterType	char(3)	NULL	Warning letter - failure to proceed with reasonable promptness 3M1 100 - day missing file letter 3M2 110 day missing file letter 3OH 100 day letter (old version) 3OR Overdue remand letter 4OH 100 Day Letter...
Letters	AddressType	char(2)	NULL	A code that indicates the type of addressee i.e C Complainant CR Complainant's Representative R Respondent RR Respondent's representative A FHAP Agency RG Regional Office
Letters	AddressNumber	smallint	NULL	Clarifies who the letter was sent to

Table Name	Column Name	Datatype	Null Option	Column Comment
Letters	Addressname	char(60)	NULL	The name of the addressee
Letters	Siteprintedby	char(4)	NULL	A code that indicates which office printed the letter
Letters	Userprintedby	char(7)	NULL	The user that performed the action that caused the letter to be generated
Letters	Reprint	bit	NULL	Indicates if a letter was previously printed
LettersTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
LettersTemp	letterid	int	IDENTITY	Unique identifier for a case letter
LettersTemp	Letterdate	datetime	NULL	The date which the letter is printed by the system
LettersTemp	LetterType	char(3)	NULL	Warning letter - failure to proceed with reasonable promptness 3M1 100 - day missing file letter 3M2 110 day missing file letter 3OH 100 day letter (old version) 3OR Overdue remand letter 4OH 100 Day Lette...
LettersTemp	AddressType	char(2)	NULL	A code that indicates the type of addressee i.e C Complainant CR Complainant's Representative R Respondent RR Respondent's representative A FHAP Agency RG Regional Office
LettersTemp	AddressNumber	smallint	NULL	Clarifies who the letter was sent to
LettersTemp	Addressname	char(60)	NULL	The name of the addressee
LettersTemp	Siteprintedby	char(4)	NULL	A code that indicates which office printed the letter
LettersTemp	Userprintedby	char(7)	NULL	The user that performed the action that caused the letter to be generated
LettersTemp	Reprint	bit	NULL	Indicates if a letter was previously printed
ManagementTrackir	Claimkey	int	NOT NULL	Unique identifier for a claim
ManagementTrackir	ManagementKey	int	NOT NULL	Unique identifier for management
ManagementTrackir	AssignedDate	datetime	NULL	The date the case was assigned
ManagementTrackir	AssignedTo	varchar(30)	NULL	The person who now being assigned to the case
ManagementTrackir	AssignedFrom	varchar(30)	NULL	The person who is being assigned from the case
ManagementTrackir	ActionTaken	text	NULL	The action required to be taken for the case

Table Name	Column Name	Datatype	Null Option	Column Comment
ManagementTrackir	DateDue	datetime	NULL	The assignment completion date
ManagementTrackir	Claimkey	int	NOT NULL	Unique identifier for a claim
ManagementTrackir	ManagementKey	int	NOT NULL	Unique identifier for management
ManagementTrackir	AssignedDate	datetime	NULL	The date the case was assigned
ManagementTrackir	AssignedTo	varchar(30)	NULL	The person who now being assigned to the case
ManagementTrackir	AssignedFrom	varchar(30)	NULL	The person who is being assigned from the case
ManagementTrackir	ActionTaken	text	NULL	The action required to be taken for the case
ManagementTrackir	DateDue	datetime	NULL	The assignment completion date
NamesQA	Claimkey	int	NOT NULL	Unique identifier for case.
NamesQA	CO_QA	bit	NULL	Count of Complainants/Claimants.
NamesQA	OA_QA	bit	NULL	Count of Other Aggrieved Parties.
NamesQA	CR_QA	bit	NULL	Count of Complainant Representatives
NamesQA	CC_QA	bit	NULL	Count of Complainant Contact Persons.
NamesQA	OD_QA	bit	NULL	Count of Others Treated Differently.
NamesQA	OS_QA	bit	NULL	Count of Others Treated the Same Way.
NamesQA	OW_QA	bit	NULL	Count of Other Witnesses
NamesQA	RE_QA	bit	NULL	Count of Respondents
NamesQA	RR_QA	bit	NULL	Count of Respondent Representatives.
NamesQATemp	Claimkey	int	NOT NULL	Unique identifier for case.
NamesQATemp	CO_QA	bit	NULL	Count of Complainants/Claimants.
NamesQATemp	OA_QA	bit	NULL	Count of Other Aggrieved Parties.
NamesQATemp	CR_QA	bit	NULL	Count of Complainant Representatives
NamesQATemp	CC_QA	bit	NULL	Count of Complainant Contact Persons.
NamesQATemp	OD_QA	bit	NULL	Count of Others Treated Differently.
NamesQATemp	OS_QA	bit	NULL	Count of Others Treated the Same Way.
NamesQATemp	OW_QA	bit	NULL	Count of Other Witnesses
NamesQATemp	RE_QA	bit	NULL	Count of Respondents
NamesQATemp	RR_QA	bit	NULL	Count of Respondent Representatives.
ndscDbLogin	WebUserId	varchar(255)	NOT NULL	
ndscDbLogin	DatabaseUsername	varchar(255)	NULL	
ndscDbLogin	DatabasePassword	varchar(255)	NULL	
ndscDbLogin	StaffId	int	NULL	
ndscDbLoginMultipl	WebUserId	varchar(255)	NOT NULL	
ndscDbLoginMultipl	DatasourceName	varchar(50)	NOT NULL	
ndscDbLoginMultipl	DatabaseUsername	varchar(255)	NULL	
ndscDbLoginMultipl	DatabasePassword	varchar(255)	NULL	

Table Name	Column Name	Datatype	Null Option	Column Comment
ndscDbLoginMultipl	StaffId	int	NULL	
ndscPrivileges	WebUserId	varchar(255)	NOT NULL	Unique identifier for internal table for security purposes. Maintained by operating system. Maintains user names, passwords, and permissions.
ndscPrivileges	WebUserPrivileges	varchar(255)	NULL	User names and priviledges.
ndscPrivileges	StaffId	int	NULL	User ID of staff members.
ndscPrivilegesAuth	WebUserId	varchar(255)	NOT NULL	Unique identifier for internal table for security purposes. Maintained by operating system. Maintains user names, passwords, and permissions.
ndscPrivilegesAuth	WebUserPassword	varchar(255)	NULL	Staff user password.
ndscPrivilegesAuth	WebUserPrivileges	varchar(255)	NULL	User names and priviledges.
ndscPrivilegesAuth	StaffId	int	NULL	User ID of staff members.
OGC	Claimkey	int	NOT NULL	Unique identifier for a claim
OGC	CaseLocation	char(4)	NULL	The agency where the cases is located
OGC	DateAttorneyAssigned	datetime	NULL	The date the attorney was assigned to the case
OGC	AttorneyAssigned	char(15)	NULL	The name of the attorney assigned to the case
OGC	DateFileSenttoGC	datetime	NULL	The date when the case was sent to General Counsel
OGC	Summay	text	NULL	A summary of General Council comments
OGC	ChargeDate	datetime	NULL	The date the Respondent was charged
OGC	DateRespondentNotified	datetime	NULL	The date when the Respondent was notified
OGC	DateAggrievedNotified	datetime	NULL	The date when the aggrieved party was notified
OGC	ElectionExpirationDate	datetime	NULL	The expiration date of the election period
OGC	ElectionMade	char(1)	NULL	Identifies if an election was made for the case
OGC	PartyMakingElection	char(2)	NULL	Identifies who initiated the election
OGC	ElectionDate	datetime	NULL	The date of the election
OGC	ElectionByComplainant	char(1)	NULL	Indicates that the Complainant is the party making election
OGC	ElectionByRespondent	char(1)	NULL	Indicates that the Respondent is the party making the election
OGC	ElectionCaseReferralDate	datetime	NULL	The date the case was referred to the Department of Justice
OGC	ALJName	char(24)	NULL	The name of the Administrative Law Judge
OGC	ElectionBySecretary	char(1)	NULL	Indicates that the Secretary is the party making election
OGC	DiscoveryCutOff	datetime	NULL	The cutoff date for the discovery of facts
OGC	HUDDiscoveryResponses	datetime	NULL	The date for HUD to submit responses for the discovery of fact
OGC	RespDiscoveryResponses	datetime	NULL	The date for the Respondent to submit responses from the discovery of facts
OGC	HUDResponseToMotionD	datetime	NULL	The date for HUD's reponse
OGC	SettlementConferenceDat	datetime	NULL	The date of the settlement conference

Table Name	Column Name	Datatype	Null Option	Column Comment
OGC	SettlementTerms	char(1)	NULL	Identifies if there are settlement terms applicable to the case
OGC	Compensation	int	NULL	The compensation dollar amount
OGC	HearingScheduledDate	datetime	NULL	The scheduled hearing date
OGC	HearingCity	char(24)	NULL	The city where the hearing will take place
OGC	ReliefHousing	bit	NULL	Indicates housing is a relief for the case
OGC	ReliefAffirmActOrAccom	bit	NULL	Indicates affirmative action or reasonable accomodations is a relief for the case
OGC	HearingState	char(2)	NULL	The state where the hearing will take place
OGC	HearingCommencedDate	datetime	NULL	The date when the hearing will begin
OGC	ReliefMonetary	bit	NULL	Indicates monetary is the relief for this case
OGC	HearingConcludedDate	datetime	NULL	The date when the hearing will end
OGC	ReliefEmployment	bit	NULL	Indicates employment is a relief for this case
OGC	PostHearingBriefDueDate	datetime	NULL	The date of the post hearing brief
OGC	ReliefStucturalMod	bit	NULL	Indicates structural modifications is a relief for this case
OGC	PostHearingBriefFiledByC	datetime	NULL	The date when OGC filed a response
OGC	ReliefOther	bit	NULL	Indicates that other is a relief for this case
OGC	PostHearingBriefFiledByR	datetime	NULL	The date when the Respondent file a response
OGC	DecisionDate	datetime	NULL	The date when a decision will be reached
OGC	DiscriminationFound	char(1)	NULL	States whether discrimination occurred in the case. Available options are None Selected (default), Yes and No.
OGC	CourtOrALJRelief	char(2)	NULL	Indicates the type of relief awarded by the ALJ or the Court. Available options are None selected (default); Monetary relief only, no civil penalty; Monetary & injunctive, no civil penalty; Monetary, injunctive, & civil penalty; and Monetary, injunctive
OGC	SecretarialReviewDate	datetime	NULL	The date for Secretarial Review
OGC	FinalDecisionDate	datetime	NULL	The date that a final decision will be reached
OGC	AppealDate	datetime	NULL	The date that the case can be appealed
OGC	ClosureComments	text	NULL	Comments about the closure of the case
OGC	CivilActionResultDate	datetime	NULL	The date format of when the civil action decision was reached
OGC	CivilActionResultType	smallint	NULL	A list of types of civil action decisions. Options are as follows: None Selected (default) Consent order entered after election District Court finds for the U.S. District Court finds for the defendant Court of Appeals upholds District Court finding for

Table Name	Column Name	Datatype	Null Option	Column Comment
OGCTemp	Claimkey	int	NOT NULL	Unique identifier for a claim
OGCTemp	CaseLocation	char(4)	NULL	The agency where the cases is located
OGCTemp	DateAttorneyAssigned	datetime	NULL	The date the attorney was assigned to the case
OGCTemp	AttorneyAssigned	char(15)	NULL	The name of the attorney assigned to the case
OGCTemp	DateFileSenttoGC	datetime	NULL	The date when the case was sent to General Counsel
OGCTemp	Summay	text	NULL	A summary of General Council comments
OGCTemp	ChargeDate	datetime	NULL	The date the Respondent was charged
OGCTemp	DateRespondentNotified	datetime	NULL	The date when the Respondent was notified
OGCTemp	DateAggrievedNotified	datetime	NULL	The date when the aggrieved party was notified
OGCTemp	ElectionExpirationDate	datetime	NULL	The expiration date of the election period
OGCTemp	ElectionMade	char(1)	NULL	Identifies if an election was made for the case
OGCTemp	PartyMakingElection	char(2)	NULL	Identifies who initiated the election
OGCTemp	ElectionDate	datetime	NULL	The date of the election
OGCTemp	ElectionByComplainant	char(1)	NULL	Indicates that the Complainant is the party making election
OGCTemp	ElectionByRespondent	char(1)	NULL	Indicates that the Respondent is the party making the election
OGCTemp	ElectionCaseReferralDate	datetime	NULL	The date the case was referred to the Department of Justice
OGCTemp	ALJName	char(24)	NULL	The name of the Administrative Law Judge
OGCTemp	ElectionBySecretary	char(1)	NULL	Indicates that the Secretary is the party making election
OGCTemp	DiscoveryCutOff	datetime	NULL	The cutoff date for the discovery of facts
OGCTemp	HUDDiscoveryResponses	datetime	NULL	The date for HUD to submit responses for the discovery of fact
OGCTemp	RespDiscoveryResponses	datetime	NULL	The date for the Respondent to submit responses from the discovery of facts
OGCTemp	HUDResponseToMotionD	datetime	NULL	The date for HUD's reponse
OGCTemp	SettlementConferenceDat	datetime	NULL	The date of the settlement conference
OGCTemp	SettlementTerms	char(1)	NULL	Identifies if there are settlement terms applicable to the case
OGCTemp	Compensation	int	NULL	The compensation dollar amount
OGCTemp	HearingScheduledDate	datetime	NULL	The scheduled hearing date
OGCTemp	HearingCity	char(24)	NULL	The city where the hearing will take place
OGCTemp	ReliefHousing	bit	NULL	Indicates housing is a relief for the case
OGCTemp	ReliefAffirmActOrAccom	bit	NULL	Indicates affirmative action or reasonable accomodations is a relief for the case
OGCTemp	HearingState	char(2)	NULL	The state where the hearing will take place
OGCTemp	HearingCommencedDate	datetime	NULL	The date when the hearing will begin
OGCTemp	ReliefMonetary	bit	NULL	Indicates monetary is the relief for this case
OGCTemp	HearingConcludedDate	datetime	NULL	The date when the hearing will end
OGCTemp	ReliefEmployment	bit	NULL	Indicates employment is a relief for this case

Table Name	Column Name	Datatype	Null Option	Column Comment
OGCTemp	PostHearingBriefDueDate	datetime	NULL	The date of the post hearing brief
OGCTemp	ReliefStructuralMod	bit	NULL	Indicates structural modifications is a relief for this case
OGCTemp	PostHearingBriefFiledByC	datetime	NULL	The date when OGC filed a response
OGCTemp	ReliefOther	bit	NULL	Indicates that other is a relief for this case
OGCTemp	PostHearingBriefFiledByR	datetime	NULL	The date when the Respondent file a response
OGCTemp	DecisionDate	datetime	NULL	The date when a decision will be reached
OGCTemp	DiscriminationFound	char(1)	NULL	States whether discrimination occurred in the case. Available options are None Selected (default), Yes and No.
OGCTemp	CourtOrALJRelief	char(2)	NULL	Indicates the type of relief awarded by the ALJ or the Court. Available options are None selected (default); Monetary relief only, no civil penalty; Monetary & injunctive, no civil penalty; Monetary, injunctive, & civil penalty; and Monetary, injunctive
OGCTemp	SecretarialReviewDate	datetime	NULL	The date for Secretarial Review
OGCTemp	FinalDecisionDate	datetime	NULL	The date that a final decision will be
OGCTemp	AppealDate	datetime	NULL	The date that the case can be appealed
OGCTemp	ClosureComments	text	NULL	Comments about the closure of the case
OGCTemp	CivilActionResultDate	datetime	NULL	The date format of when the civil action decision was reached
OGCTemp	CivilActionResultType	smallint	NULL	A list of types of civil action decisions. Options are as follows: None Selected (default) Consent order entered after election District Court finds for the U.S. District Court finds for the defendant Court of Appeals upholds District Court finding for
OtherAuthorities	ClaimKey	int	NOT NULL	Unique identifier of case.
OtherAuthorities	FHAPCaseID	char(15)	NULL	Unique identifier of FHAP case.
OtherAuthorities	FHAPCaseName	char(63)	NULL	FHAP case name.
OtherAuthorities	AuthorityCode	char(1)	NOT NULL	One character identifier of authority.
OtherAuthorities	DateReceivedOrStarted	datetime	NULL	Start date of other authorities entry.
OtherAuthorities	LODDate	datetime	NULL	LOD date.
OtherAuthorities	LOFDate	datetime	NULL	LOF date
OtherAuthorities	VCADate	datetime	NULL	VCA date.
OtherAuthorities	ClosedCompletedDate	datetime	NULL	Closed date of completion of case.
OtherAuthorities	ClosureCode	char(2)	NULL	Dropdown list of closure types.
OtherAuthorities	DateTo_HQ_FHEO	datetime	NULL	Date sent to headquarters.
OtherAuthorities	DateFrom_HQ_FHEO	datetime	NULL	Date from headquarters.

Table Name	Column Name	Datatype	Null Option	Column Comment
OtherAuthorities	DateTo_OGC_RC	datetime	NULL	Date sent to OGC.
OtherAuthorities	DateFrom_OGC_RC	datetime	NULL	Date from OGC.
OtherAuthorities	DateOnSiteInspection	datetime	NULL	Date of Site inspection
OtherAuthorityCase	HUDFileNo	varchar(9)	NULL	Unique identifier of HUD case.
OtherAuthorityCase	CaseName	varchar(63)	NULL	Textbox of case name
OtherAuthorityCase	AuthorityCode	varchar(1)	NULL	One character authority code, part of HUD file number.
OtherAuthorityCase	CaseType	varchar(1)	NULL	Type of Case is automatically populated. One character identifier code.
OtherAuthorityCase	ReceiptDate	datetime	NULL	Receipt Date (for Complaints only) must be in MM/DD/YYYY format. Required field.
OtherAuthorityCase	OnSiteDate	datetime	NULL	On Site Date must be in MM/DD/YYYY format.
OtherAuthorityCase	DateToCounsel	datetime	NULL	Date to Counsel must be in MM/DD/YYYY format.
OtherAuthorityCase	DateFromCounsel	datetime	NULL	Date From Counsel must be in MM/DD/YYYY format.
OtherAuthorityCase	DateToHQ	datetime	NULL	Date to HQ must be in MM/DD/YYYY format.
OtherAuthorityCase	DateFromHQ	datetime	NULL	Date from HQ must be in MM/DD/YYYY format.
OtherAuthorityCase	LOFDate	datetime	NULL	LOF Date must be in MM/DD/YYYY format.
OtherAuthorityCase	LODDate	datetime	NULL	LOD Date must be in MM/DD/YYYY format.
OtherAuthorityCase	VCADate	datetime	NULL	VCA Date must be in MM/DD/YYYY format.
OtherAuthorityCase	ClosureDate	datetime	NULL	Closure Date must be in MM/DD/YYYY format.
OtherAuthorityCase	ClosureCode	varchar(2)	NULL	Two character closure code.
OtherAuthorityCase	Region	varchar(2)	NULL	Two character region code.
OtherHold	HUDFileNo	varchar(9)	NULL	Unique identifier of case. HUD File No. is automatically populated.
OtherHold	CaseName	varchar(63)	NULL	
OtherHold	AuthorityCode	varchar(1)	NULL	
OtherHold	CaseType	varchar(1)	NULL	Type of Case is automatically populated. One character identifier code.
OtherHold	ReceiptDate	datetime	NULL	Receipt Date (for Complaints only) must be in MM/DD/YYYY format. Required field.
OtherHold	OnSiteDate	datetime	NULL	On Site Date must be in MM/DD/YYYY format.
OtherHold	DateToCounsel	datetime	NULL	Date to Counsel must be in MM/DD/YYYY format.
OtherHold	DateFromCounsel	datetime	NULL	Date From Counsel must be in MM/DD/YYYY format.
OtherHold	DateToHQ	datetime	NULL	Date to HQ must be in MM/DD/YYYY format.
OtherHold	DateFromHQ	datetime	NULL	Date from HQ must be in MM/DD/YYYY format.

Table Name	Column Name	Datatype	Null Option	Column Comment
OtherHold	LOFDate	datetime	NULL	LOF Date must be in MM/DD/YYYY format.
OtherHold	LODDate	datetime	NULL	LOD Date must be in MM/DD/YYYY format.
OtherHold	VCADate	datetime	NULL	VCA Date must be in MM/DD/YYYY format.
OtherHold	ClosureDate	datetime	NULL	Closure Date must be in MM/DD/YYYY format.
OtherHold	ClosureCode	varchar(2)	NULL	Two character closure code.
OtherHold	Region	varchar(2)	NULL	Two character region code.
Reasons	Claimkey	int	NOT NULL	Four character code for dropdown list of none selected, headquarters, or hub.
Reasons	ReasonOffice	char(4)	NULL	Display value of contact office.
Reasons	Reason1	bit	NULL	1. Complete interviews with parties and/or witnesses checkbox for flagging this reason.
Reasons	Reason2	bit	NULL	2. Subpoena (formally request) documents related to the investigation or arrange other formal information gathering checkbox for flagging this reason.
Reasons	Reason3	bit	NULL	3. Conduct an on-site investigation checkbox for flagging this reason.
Reasons	Reason4	bit	NULL	4. Conduct more investigation because the information gathered so far shows a need for more investigation and analysis checkbox for flagging this reason.
Reasons	Reason5	bit	NULL	5. Include other HUD program offices and/or federal agencies in the investigation checkbox for flagging this reason.
Reasons	Reason6	bit	NULL	6. Make additional efforts to conciliate (settle) the complaint checkbox for flagging this reason.
Reasons	Reason7	bit	NULL	7. Determine whether there is further support for information provided by parties or witnesses checkbox for flagging this reason.
Reasons	Reason8	bit	NULL	8. Analyze issues involving new or complicated areas of law checkbox for flagging this reason.
Reasons	Reason9	bit	NULL	9. Conduct a legal analysis of information gathered during the investigation checkbox for flagging this reason.
Reasons	Reason10	bit	NULL	10. Allow additional review by the United States Department of Justice checkbox for flagging this reason.
Reasons	Reason11	bit	NULL	11. Finish writing a report of the investigation checkbox for flagging this reason.
Reasons	Reason12	bit	NULL	12. Amend the complaint to add or delete parties or claims or make other changes checkbox for flagging this reason.

Table Name	Column Name	Datatype	Null Option	Column Comment
Reasons	Reason13	bit	NULL	13. Special issues have come up in this case requiring additional time. Specifically, checkbox for flagging this reason.
Reasons	Reason13Text	varchar(240)	NULL	Reason 13 textbox for brief explanation of issues requiring additional time. Required if Reason 13 is checked. Text begins with the word "Specifically" in the reason 13 check box text.
Reasons	ProjectedCompletionDate	datetime	NULL	Projected Completion Date textbox for entry of date. Project completion date must be greater than the current date.
Reasons	ContactName	char(30)	NULL	Point Of Contact Name textbox for person's name. Required.
Reasons	ContactOffice	char(1)	NULL	Point Of Contact Office dropdown list containing contact offices. Required. Options include None Selected, Headquarters, and Hub. None Selected is default
ReasonsTemp	Claimkey	int	NOT NULL	Four character code for dropdown list of none selected, headquarters, or hub.
ReasonsTemp	ReasonOffice	char(4)	NULL	Display value of contact office.
ReasonsTemp	Reason1	bit	NULL	1. Complete interviews with parties and/or witnesses checkbox for flagging this reason.
ReasonsTemp	Reason2	bit	NULL	2. Subpoena (formally request) documents related to the investigation or arrange other formal information gathering checkbox for flagging this reason.
ReasonsTemp	Reason3	bit	NULL	3. Conduct an on-site investigation checkbox for flagging this reason.
ReasonsTemp	Reason4	bit	NULL	4. Conduct more investigation because the information gathered so far shows a need for more investigation and analysis checkbox for flagging this reason.
ReasonsTemp	Reason5	bit	NULL	5. Include other HUD program offices and/or federal agencies in the investigation checkbox for flagging this reason.
ReasonsTemp	Reason6	bit	NULL	6. Make additional efforts to conciliate (settle) the complaint checkbox for flagging this reason.
ReasonsTemp	Reason7	bit	NULL	7. Determine whether there is further support for information provided by parties or witnesses checkbox for flagging this reason.
ReasonsTemp	Reason8	bit	NULL	8. Analyze issues involving new or complicated areas of law checkbox for flagging this reason.
ReasonsTemp	Reason9	bit	NULL	9. Conduct a legal analysis of information gathered during the investigation checkbox for flagging this reason.

Table Name	Column Name	Datatype	Null Option	Column Comment
ReasonsTemp	Reason10	bit	NULL	10. Allow additional review by the United States Department of Justice checkbox for flagging this reason.
ReasonsTemp	Reason11	bit	NULL	11. Finish writing a report of the investigation checkbox for flagging this reason.
ReasonsTemp	Reason12	bit	NULL	12. Amend the complaint to add or delete parties or claims or make other changes checkbox for flagging this reason.
ReasonsTemp	Reason13	bit	NULL	13. Special issues have come up in this case requiring additional time. Specifically, checkbox for flagging this reason.
ReasonsTemp	Reason13Text	varchar(240)	NULL	Reason 13 textbox for brief explanation of issues requiring additional time. Required if Reason 13 is checked. Text begins with the word "Specifically" in the reason 13 check box text.
ReasonsTemp	ProjectedCompletionDate	datetime	NULL	Projected Completion Date textbox for entry of date. Project completion date must be greater than the current date.
ReasonsTemp	ContactName	char(30)	NULL	Point Of Contact Name textbox for person's name. Required.
ReasonsTemp	ContactOffice	char(1)	NULL	Point Of Contact Office dropdown list containing contact offices. Required. Options include None Selected, Headquarters, and Hub. None Selected is default.
RespondentReps	Claimkey	int	NOT NULL	Unique identifier for case.
RespondentReps	RespondentKey	smallint	NOT NULL	Unique identifier for respondent.
RespondentReps	RepID	int	NOT NULL	Unique identifier for respondent representative.
RespondentReps	Firstname	varchar(20)	NULL	Firstname (MI) is a textbox for entry of representative's first name. First Name must be present if Last Name is present; must be blank if Last Name is blank.
RespondentReps	Lastname	varchar(40)	NULL	Lastname is a textbox for entry of representative's last name. Last Name must be present if First Name is present; must be blank if First Name is blank.
RespondentReps	Firm	varchar(60)	NULL	Firm/Agency is a textbox for the name of the representative's place of business.
RespondentReps	Address1	varchar(60)	NULL	Address1 textbox for entry of street address.
RespondentReps	Address2	varchar(60)	NULL	Address2 textbox for entry of street address.
RespondentReps	City	char(20)	NULL	City is a textbox for entry of city of representative's firm or agency.

Table Name	Column Name	Datatype	Null Option	Column Comment
RespondentReps	State	char(2)	NULL	State contains a dropdown list of states. Alaska Alabama Arkansas American Samoa Arizona California Colorado Connecticut Dist. Of Columbia Delaware Florida Micronesia Georgia Guam Hawaii Iowa Idaho Illinois Indiana Kansas Kentucky Louisiana Massachusetts
RespondentReps	Zip	char(10)	NULL	Zip is a textbox for entry of representative's zip code.
RespondentReps	WorkPhone	char(14)	NULL	Work Phone is a textbox for the representative's work phone number.
RespondentReps	Fax	char(14)	NULL	Fax is a textbox for the representative's fax number.
RespondentReps	Comments	text	NULL	Textbox for comments.
RespondentRepsTe	Claimkey	int	NOT NULL	Unique identifier for case.
RespondentRepsTe	RespondentKey	smallint	NOT NULL	Unique identifier for respondent.
RespondentRepsTe	RepID	int	NOT NULL	Unique identifier for respondent representative.
RespondentRepsTe	Firstname	varchar(20)	NULL	Firstname (MI) is a textbox for entry of representative's first name. First Name must be present if Last Name is present; must be blank if Last Name is blank.

Table Name	Column Name	Datatype	Null Option	Column Comment
RespondentRepsTe	Lastname	varchar(40)	NULL	Lastname is a textbox for entry of representative's last name. Last Name must be present if First Name is present; must be blank if First Name is blank.
RespondentRepsTe	Firm	varchar(60)	NULL	Firm/Agency is a textbox for the name of the representative's place of business.
RespondentRepsTe	Address1	varchar(60)	NULL	Address1 textbox for entry of street address.
RespondentRepsTe	Address2	varchar(60)	NULL	Address2 textbox for entry of street address.
RespondentRepsTe	City	char(20)	NULL	City is a textbox for entry of city of representative's firm or agency.
RespondentRepsTe	State	char(2)	NULL	State contains a dropdown list of states. Alaska Alabama Arkansas American Samoa Arizona California Colorado Connecticut Dist. Of Columbia Delaware Florida Micronesia Georgia Guam Hawaii Iowa Idaho Illinois Indiana Kansas Kentucky Louisiana Massachusetts
RespondentRepsTe	Zip	char(10)	NULL	Zip is a textbox for entry of representative's zip code.

Table Name	Column Name	Datatype	Null Option	Column Comment
RespondentRepsTe	WorkPhone	char(14)	NULL	Work Phone is a textbox for the representative's work phone number.
RespondentRepsTe	Fax	char(14)	NULL	Fax is a textbox for the representative's fax number.
RespondentRepsTe	Comments	text	NULL	Textbox for comments.
Respondents	Claimkey	int	NOT NULL	Unique identifier for case.
Respondents	RespondentKey	smallint	NOT NULL	Unique identifier for respondent.
Respondents	Organization	varchar(60)	NULL	Organization is a textbox for entry of respondent name if organization. Must be present if no First and Last Name are present. If, present, automatically populated from Add New Claim screen.
Respondents	RegulatingAgency	varchar(1)	NULL	Regulating Agency contains a dropdown list of regulating agencies for the organization. OCC FRB FDIC OTS NCUA FTC FHA
Respondents	MortgageLenderControlNr	varchar(10)	NULL	Mortgage Lender Control Number is a textbox for the regulating agency.
Respondents	Firstname	varchar(20)	NULL	Firstname (MI) is a textbox for entry of representative's first name. First Name must be present if Last Name is present.
Respondents	Lastname	varchar(40)	NULL	Lastname is a textbox for entry of representative's last name. Last Name must be present if First Name is present.
Respondents	Address1	varchar(60)	NULL	Address1 textbox for entry of street address.
Respondents	Address2	varchar(60)	NULL	Address2 textbox for entry of street address.
Respondents	City	char(20)	NULL	City is a textbox for entry of city of representative's firm or agency.

Table Name	Column Name	Datatype	Null Option	Column Comment
Respondents	State	char(2)	NULL	State contains a dropdown list of states.
				Alaska
				Alabama
				Arkansas
				American Samoa
				Arizona
				California
				Colorado
				Connecticut
				Dist. Of Columbia
				Delaware
				Florida
				Micronesia
				Georgia
				Guam
				Hawaii
				Iowa
				Idaho
				Illinois
				Indiana
				Kansas
				Kentucky
				Louisiana
				Massachusetts
Respondents	Zip	char(10)	NULL	Zip is a textbox for entry of representative's zip code.
Respondents	HomePhone	char(14)	NULL	Home Phone is a textbox for entry of representative's home phone number.
Respondents	WorkPhone	char(14)	NULL	Work Phone is a textbox for entry of representative's work phone number.
Respondents	Comments	text	NULL	Textbox for comments concerning respondent.
RespondentsTemp	Claimkey	int	NOT NULL	Unique identifier for case.
RespondentsTemp	RespondentKey	smallint	NOT NULL	Unique identifier for respondent.

Table Name	Column Name	Datatype	Null Option	Column Comment
RespondentsTemp	Organization	varchar(60)	NULL	Organization is a textbox for entry of respondent name if organization. Must be present if no First and Last Name are present. If, present, automatically populated from Add New Claim screen.
RespondentsTemp	RegulatingAgency	varchar(1)	NULL	Regulating Agency contains a dropdown list of regulating agencies for the organization. OCC FRB FDIC OTS NCUA FTC FHA
RespondentsTemp	MortgageLenderControlNumber	varchar(10)	NULL	Mortgage Lender Control Number is a textbox for the regulating agency.
RespondentsTemp	Firstname	varchar(20)	NULL	Firstname (MI) is a textbox for entry of representative's first name. First Name must be present if Last Name is present.
RespondentsTemp	Lastname	varchar(40)	NULL	Lastname is a textbox for entry of representative's last name. Last Name must be present if First Name is present.
RespondentsTemp	Address1	varchar(60)	NULL	Address1 textbox for entry of street address.
RespondentsTemp	Address2	varchar(60)	NULL	Address2 textbox for entry of street address.
RespondentsTemp	City	char(20)	NULL	City is a textbox for entry of city of representative's firm or agency.

Table Name	Column Name	Datatype	Null Option	Column Comment
RespondentsTemp	State	char(2)	NULL	State contains a dropdown list of states. Alaska Alabama Arkansas American Samoa Arizona California Colorado Connecticut Dist. Of Columbia Delaware Florida Micronesia Georgia Guam Hawaii Iowa Idaho Illinois Indiana Kansas Kentucky Louisiana Massachusetts
RespondentsTemp	Zip	char(10)	NULL	Zip is a textbox for entry of representative's zip code.
RespondentsTemp	HomePhone	char(14)	NULL	Home Phone is a textbox for entry of representative's home phone number.
RespondentsTemp	WorkPhone	char(14)	NULL	Work Phone is a textbox for entry of representative's work phone number.
RespondentsTemp	Comments	text	NULL	Textbox for comments concerning respondent.
Staff	StaffId	int	IDENTITY	Unique Identifier for staff table.
Staff	Initials	char(7)	NOT NULL	Initials for staff.
Staff	SiteID	char(4)	NOT NULL	Site ID that staff member belongs to.
Staff	Fullname	varchar(30)	NULL	Full text name of staff.
Staff	EmailAddress	varchar(40)	NULL	Email address of staff member.

Table Name	Column Name	Datatype	Null Option	Column Comment
Staff	Access	varchar(1)	NOT NULL	Read only security level of staff member.
Staff	Password	varchar(10)	NULL	Password of staff member.
Staff	Act	bit	NULL	Checkbox whether staff has access to other authorities.
Staff	FHAP	bit	NULL	Checkbox whether staff has access to FHAP cases.
Staff	TitleviiiAccess	bit	NULL	Checbx whether staff has access to Titleviii cases.
Staff	LastLog_Date	datetime	NULL	Time date stamp of last time staff member accessed TEAPOTS database.
Staff	Suspend_Date	datetime	NULL	Date staff member account was suspended by system administrator.
Staff	OGCAccess	char(1)	NULL	Checkbox whether staff member has access to OGC cases.
Staff	LogDate	datetime	NULL	Last date staff member checked out a case.
SupportInfo	Claimkey	int	NOT NULL	Unique internal identifier for case
SupportInfo	SupportKey	varchar(5)	NOT NULL	Unique internal identifier for support issue for theory of discrimination.
SupportInfo	SupportID	smallint	NOT NULL	Unique internal identifier for type of support for particular theory of discrimination.
SupportInfo	SupportInfo	text	NULL	Textbox for supporting information for type of support for particular theory of discrimination.
SupportInfo	InvestigativeFindings	text	NULL	Textbox for investigation findings for theories of discrimination. Popup.
SupportInfo	AdditionalInfo	bit	NULL	Checbx for additional information.
SupportInfo	Interviews	text	NULL	Textbox field for interview information. Popup.
SupportInfo	OtherData	text	NULL	Textbox field for interview information. Popup.
SupportInfo	Documents	text	NULL	Textbox field for interview information. Popup.
SupportInfoTemp	Claimkey	int	NOT NULL	Unique internal identifier for case
SupportInfoTemp	SupportKey	varchar(5)	NOT NULL	Unique internal identifier for support issue for theory of discrimination.
SupportInfoTemp	SupportID	smallint	NOT NULL	Unique internal identifier for type of support for particular theory of discrimination.
SupportInfoTemp	SupportInfo	text	NULL	Textbox for supporting information for type of support for particular theory of discrimination.
SupportInfoTemp	InvestigativeFindings	text	NULL	Textbox for investigation findings for theories of discrimination. Popup.
SupportInfoTemp	AdditionalInfo	bit	NULL	Checbx for additional information.
SupportInfoTemp	Interviews	text	NULL	Textbox field for interview information. Popup.
SupportInfoTemp	OtherData	text	NULL	Textbox field for interview information. Popup.

Table Name	Column Name	Datatype	Null Option	Column Comment
SupportInfoTemp	Documents	text	NULL	Textbox field for interview information. Popup.
SupportPop	Claimkey	int	NOT NULL	Unique internal identifier for case.
SupportPop	IssueCode	varchar(3)	NOT NULL	Unique internal identifier for case issue. Case issue entered on Intake tab.
SupportPop	SupportKey	char(5)	NOT NULL	Unique internal identifier for type of support for a Theory of Discrimination.
SupportPop	SupportId	smallint	NOT NULL	Unique internal identifier for type of support for particular theory of discrimination.
SupportPop	SupportInfo	text	NULL	Textbox for supporting information for type of support for particular theory of discrimination.
SupportPop	AdditionalInfo	bit	NULL	Checbx for additional information.
SupportPop	Interviews	text	NULL	Textbox field for interview information. Popup.
SupportPop	OtherData	text	NULL	Textbox field for interview information. Popup.
SupportPop	Documents	text	NULL	Textbox field for interview information. Popup.
SupportPoptemp	Claimkey	int	NOT NULL	Unique internal identifier for case.
SupportPoptemp	IssueCode	varchar(3)	NOT NULL	Unique internal identifier for case issue. Case issue entered on Intake tab.
SupportPoptemp	SupportKey	char(5)	NOT NULL	Unique internal identifier for type of support for a Theory of Discrimination.
SupportPoptemp	SupportId	smallint	NOT NULL	Unique internal identifier for type of support for particular theory of discrimination.
SupportPoptemp	SupportInfo	text	NULL	Textbox for supporting information for type of support for particular theory of discrimination.
SupportPoptemp	AdditionalInfo	bit	NULL	Checbx for additional information.
SupportPoptemp	Interviews	text	NULL	Textbox field for interview information. Popup.
SupportPoptemp	OtherData	text	NULL	Textbox field for interview information. Popup.
SupportPoptemp	Documents	text	NULL	Textbox field for interview information. Popup.
tblAgency	AgencyID	smallint	NOT NULL	Unique internal ID for this table.

Table Name	Column Name	Datatype	Null Option	Column Comment
tblAgency	AgencyName	varchar(4)	NULL	Four character dropdown list of Agency code for regulating agencies for the organization.
				OCC FRB FDIC OTS NCUA FTC FHA
tblALJRelief	ALJReliefCode	char(2)	NOT NULL	Unique internal identifier for this table.
tblALJRelief	ALJReliefText	char(50)	NOT NULL	Description of type of ALJ relief. Drop down list citing the type of relief awarded by the ALJ or the Court. Available options are None selected (default); Monetary relief only, no civil penalty; Monetary & injunctive, no civil penalty; Monetary, injunc
tblAudit	actionCode	smallint	NOT NULL	Not applicable.
tblAudit	description	text	NOT NULL	Not applicable.
tblCheckOut	ClaimKey	int	NOT NULL	Unique internal identifier of cases checked out.
tblCheckOut	CheckOutID	int	IDENTITY	Unique key for table
tblCheckOut	CheckOutTime	datetime	NULL	Internal time and date stamp of checout. MM/DD/YYYY format.
tblCheckOut	MaxDays	smallint	NULL	Not applicable
tblCheckOut	UserName	char(7)	NULL	User ID of TEAPOTS user that checked out case.
tblCivilActionresults	ResultCode	smallint	NOT NULL	Unique internal identifier of enforcement actions.
tblCivilActionresults	ResultDescription	char(70)	NULL	Dropdown list of types of civil action decisions. Options are as follows: None Selected (default) Consent order entered after election District Court finds for the U.S. District Court finds for the defendant Court of Appeals upholds District Court findi
tblCloseCodesNeve	ClaimID	varchar(1)	NOT NULL	Unique identifier for why not filed.

Table Name	Column Name	Datatype	Null Option	Column Comment
tblCloseCodesNeve	ClaimReason	varchar(50)	NULL	<p>Dropdown list of why not filed; contains reasons for case closure. No Reason is default. Must be entered if Date Closed is entered; otherwise, must be blank. Reasons include:</p> <p>Not timely filed No valid bases No valid issues Failure to respond by Claimant</p>
tblClosedReasons	ClaimID	smallint	NOT NULL	Unique internal identifier for closed reasons.
tblClosedReasons	ClaimReason	varchar(70)	NULL	<p>Dropdown list of Closure reasons.</p> <p>Untimely filed Dismissed for lack of jurisdiction Unable to locate complainant Complainant failed to cooperate Complaint withdrawn by complainant without resolution Closed because trial has begun Conciliation/settlement</p>
tblClosedReasons	HUD	bit	NULL	Checkbox for who sees the list of closed reasons.
tblClosedReasons	FHAP	bit	NULL	Checkbox for who sees the list of closed reasons.
tblClosedReasons	OGC	bit	NULL	Checkbox for who sees the list of closed reasons.
tblComplaintClosure	ClosureCode	char(2)	NOT NULL	Unique internal identifier of closure code.
tblComplaintClosure	Description	char(70)	NOT NULL	<p>J finding of no discrim.; no appeal Appeals Court reverses ALJ finding of discrim.; no appeal Appeals Court reverses ALJ finding of no discrim.; no appeal Supreme Court denies Cert. - ALJ case Supreme Court decision on merits - ALJ case...</p>
tblComplianceClosu	ClosureCode	char(2)	NOT NULL	Unique internal identifier of closure code.
tblComplianceClosu	Description	char(70)	NOT NULL	Description of complaint closure codes. Entered by system administrator.
tblCounties	Statecode	char(2)	NOT NULL	<p>Closure Type is a dropdown list containing reasons why the case was closed. None Selected is default. Must be selected if HUD Closure Date and/or FHAP Closure Date is present. Clos</p> <p>Two character state code. Maintained by system administrator.</p>

Table Name	Column Name	Datatype	Null Option	Column Comment
tblCounties	countycode	char(3)	NOT NULL	County code within the state. Maintained by system administrator.
tblCounties	countyname	char(30)	NULL	Text name of county. Maintained by system administrator.
tblErrors	LError_id	int	NOT NULL	Unique identifier for validation errors.
tblErrors	szShortMsg_tx	varchar(255)	NULL	Error message in short form.
tblErrors	szProblemMsg_tx	varchar(255)	NULL	Error Message in long form.
tblErrors	szResponseMsg_tx	varchar(255)	NULL	Not applicable
tblErrors	iErrIcon_cd	smallint	NULL	Not applicable
tblErrors	iButtons_cd	smallint	NULL	Not applicable
tblErrors	sApp_cd	varchar(1)	NULL	Not applicable
tblInterviewType	InterviewType	varchar(14)	NOT NULL	Dropdown list of how interview was performed. Choices are correspondence, In Person, or Phone.
tblOffices	Region	varchar(2)	NOT NULL	Two character pulldown code identifying regions. Region contains a dropdown list that allows the system administrator to search for cases within a given region. Valid choices are All Regions, Headquarters, or one of the ten hubs. The default is All Regio
tblOffices	SiteID	varchar(4)	NOT NULL	Four character pulldown code identifying regions.
tblOffices	Description	varchar(30)	NULL	Dropdown text of region name.
tblOffices	SiteType	varchar(1)	NULL	Hub, center, or FHAP internal character on table representing one of the three.
tblOffices	SuperOffice	char(4)	NULL	Internal pointer to parent office for region or site.
tblOffices	Letterhead1	text	NULL	Actual Return address text blocks. Entered by system administrator.
tblOffices	Letterhead2	text	NULL	Actual Return address text blocks. Entered by system administrator.
tblOtherAuthorityClc	CaseType	varchar(1)	NULL	Checkbox for selecting case type. Choices are Any, Complaints, or Compliance Reviews
tblOtherAuthorityClc	ClosureCode	varchar(2)	NULL	Two character codes for closure codes
tblOtherAuthorityClc	ClosureType	smallint	NULL	Internal numeric integer that identifies several closure codes.
tblOtherAuthorityClc	Description	varchar(70)	NULL	J finding of no discrim.; no appeal Appeals Court reverses ALJ finding of discrim.; no appeal Appeals Court reverses ALJ finding of no discrim.; no appeal Supreme Court denies Cert. - ALJ case Supreme Court decision on merits - ALJ case...
tblSigBlock	SiteID	varchar(4)	NOT NULL	Identifier that the signature block belongs to.

Table Name	Column Name	Datatype	Null Option	Column Comment
tblSigBlock	SigKey	varchar(4)	NOT NULL	Unique identifier for signature block table.
tblSigBlock	SigName	varchar(60)	NULL	Identifier for either FAIR or Determination signature block
tblSigBlock	Line1	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line2	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line3	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line4	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line5	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line6	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line7	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line8	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line9	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line10	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line11	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	Line12	varchar(70)	NULL	Additional lines of text for signatures
tblSigBlock	DeterminationPointOfCon text		NULL	Determination Point of Contact: Text box for determination point of contact.
tblSigBlock	Region	varchar(2)	NULL	Two character pulldown code identifying regions. Region contains a dropdown list that allows the system administrator to search for cases within a given region. Valid choices are All Regions, Headquarters, or one of the ten hubs. The default is All Region
tblSigBlock	Office	varchar(2)	NULL	Not applicable.
tblSigBlock	PointOfContactPhone	char(14)	NULL	Phone number entered manually in database. Automatically displayed on report and letters.
tblState	StateCode	char(2)	NOT NULL	A list of states by two character state abbreviations (codes)

Table Name	Column Name	Datatype	Null Option	Column Comment
tblState	State_Name	varchar(50)	NULL	ey New Mexico Nevada New York Ohio Oklahoma Oregon Pennsylvania Puerto Rico Palau Rhode Island South Carolina South Dakota Tennessee Texas Utah Virginia Virgin Islands Vermont Washington Wisconsin West Virginia Wyoming...
tblSupportDescriptic	SupportKey	varchar(5)	NOT NULL	Unique identifier for supporting information
tblSupportDescriptic	SupportDescription	varchar(200)	NULL	Textbox for supporting information for investigations.
tblTableIDs	sTable_nm	varchar(40)	NOT NULL	Not applicable
tblTableIDs	INext_id	int	NULL	Not applicable
tblTemplates	TemplateID	int	NULL	Unique ID identifier for questionnaires. (four of them)
tblTemplates	MemoKey	varchar(50)	NULL	Unique identifier for a particular questionnaire.
tblTemplates	MemoText	text	NULL	Text data for questionnaire

Table Name	Column Name	Datatype	Null Option	Column Comment
tblTransfer1	TransferCode	char(2)	NOT NULL	Transfer Codes dropdown list allows the user to define the case transfer reason. The transfer code corresponds to the transfer description selected by the user. The user must select a transfer code. Valid transfer codes are listed below.
tblTransfer1	Description	text	NULL	1C Sent for con Description field identifies the case transfer reason.
tblTransfer1	OfficeFrom	int	NULL	Office From field identifies the sending office site.
tblTransfer1	OfficeFromNotes	text	NULL	Textbox for adding notes for office sending the transfer.
tblTransfer1	OfficeTo	int	NULL	Office To field identifies the receiving office site.
tblTransfer1	OfficeToNotes	text	NULL	Textbox for notes for office receiving tranfer.
tblTransfer2	TransferCode	char(2)	NOT NULL	Transfer Codes dropdown list allows the user to define the case transfer reason. The transfer code corresponds to the transfer description selected by the user. The user must select a transfer code. Valid transfer codes are listed below.
tblTransfer2	MayBeFollowedBy	char(2)	NOT NULL	1C Sent for con A list of valid transfer codes that may follow another transfer code.